



US00D661574S

(12) **United States Design Patent**
Platt

(10) **Patent No.:** **US D661,574 S**

(45) **Date of Patent:** **** Jun. 12, 2012**

(54) **HUNTING HOOK WITH OFFSET LEG**

(76) Inventor: **Greg Platt**, Windber, PA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/403,982**

(22) Filed: **Oct. 13, 2011**

Related U.S. Application Data

(62) Division of application No. 29/382,829, filed on Jan. 7, 2011, now Pat. No. Des. 648,208.

(51) **LOC (9) Cl.** **08-05**

(52) **U.S. Cl.** **D8/367**

(58) **Field of Classification Search** D8/367,
D8/354, 349; 248/227.2, 308, 215, 231.81,
248/304; 16/256, 258; D22/149
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,506,668	A	8/1924	Rose et al.	
D199,737	S *	12/1964	Cross, Jr.	D22/149
3,488,025	A	1/1970	Rowland	
4,714,221	A	12/1987	Cawrey	
5,301,911	A	4/1994	Beauchemin	
D347,679	S *	6/1994	Yetter et al.	D22/149
D357,402	S *	4/1995	Roethler	D8/370
5,509,632	A	4/1996	Mesna et al.	
D369,674	S	5/1996	Schreiner et al.	
D373,072	S	8/1996	Durante	
5,738,080	A	4/1998	Brocco, Jr.	
D401,838	S	12/1998	Beauchemin	
D404,127	S	1/1999	Lammers	
6,026,607	A *	2/2000	Bukowski	43/4
6,029,830	A	2/2000	Manookian	
D421,705	S *	3/2000	Smith	D8/83
D422,888	S	4/2000	Outten	
6,196,511	B1	3/2001	Beauchemin	

D455,947	S *	4/2002	Goodman et al.	D8/367
D458,116	S	6/2002	Roethler	
6,659,414	B1 *	12/2003	Guilmette	248/303
D489,963	S	5/2004	Mazooji et al.	
D524,636	S *	7/2006	Burnett	D8/370
D532,074	S	11/2006	Travis, Sr.	
D546,147	S	7/2007	Cullen	
D554,980	S	11/2007	Mihelis	

(Continued)

Primary Examiner — Cynthia Underwood

(74) *Attorney, Agent, or Firm* — The Webb Law Firm, PC


(57) **CLAIM**

The ornamental design for a hunting hook with offset leg, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a hunting hook with offset leg in accordance with the present design;
 FIG. 2 is a right side view of the hunting hook with offset leg of FIG. 1, with the left side view being a mirror image thereof;
 FIG. 3 is front view of the hunting hook with offset leg of FIG. 1;
 FIG. 4 is a rear view of the hunting hook with offset leg of FIG. 1;
 FIG. 5 is a top view of the hunting hook with offset leg of FIG. 1;
 FIG. 6 is a bottom view of the hunting hook with offset LEG of FIG. 1;
 FIG. 7 is a front perspective view of the hunting hook with offset leg of FIG. 1 installed and in use; and,
 FIG. 8 is an enlarged view of the hunting hook with offset leg of FIG. 1, as shown in FIG. 7.
 The broken lines shown, in FIGS. 7 and 8 are included for the purpose of illustrating environment only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D661,574 S

Page 2

U.S. PATENT DOCUMENTS

D559,079	S *	1/2008	Berry et al.	D8/343	D629,291	S	12/2010	Veilleux	
D561,012	S *	2/2008	Tse	D8/370	D631,332	S	1/2011	Bauer et al.	
7,494,095	B2	2/2009	Walker et al.		D632,952	S	2/2011	Dablemont	
D587,470	S	3/2009	Croisdale et al.		D644,088	S	8/2011	Gallaty	
7,516,707	B2	4/2009	Schrot		D649,019	S *	11/2011	Kim	D8/367
D600,102	S	9/2009	Larkin		D649,438	S *	11/2011	McDuff et al.	D8/367
7,757,996	B2	7/2010	Jacobs		2006/0016943	A1 *	1/2006	Thompson	248/175
7,823,852	B1	11/2010	Reno		2008/0272269	A1	11/2008	Moravsky et al.	

* cited by examiner




FIG. 1




FIG. 2



FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8