



US00D661626S

(12) **United States Design Patent**
Aymar(10) **Patent No.:** **US D661,626 S**
(45) **Date of Patent:** ** Jun. 12, 2012(54) **STUDDDED SHOCK ABSORBER WITH RESERVOIR HAVING REMOVEABLE DECORATIVE SLEEVE**(76) Inventor: **Brandon P. Aymar**, Santee, CA (US)(**) Term: **14 Years**(21) Appl. No.: **29/379,047**(22) Filed: **Nov. 12, 2010**(51) LOC (9) Cl. **12-16**(52) U.S. Cl. **D12/159**(58) Field of Classification Search 280/124.155,
280/124.147, 124.145, 124.146, 86.752,
280/11.225; 188/281, 298, 297, 315, 316,
188/274, 286; 267/195, 136, 64.15, 217;
464/173; D12/102–107, 118, 400, 161, 159,
D12/160; D21/76; 293/134

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D553,545 S * 10/2007 Nygren D12/159
2006/0169556 A1* 8/2006 Hsu 188/314
2011/0017559 A1* 1/2011 Sintorn 188/314

* cited by examiner

Primary Examiner — Michael Pratt


(74) Attorney, Agent, or Firm — Richard D. Clarke

(57) **CLAIM**

I claim the ornamental design for a studded shock absorber with reservoir having a removable decorative sleeve, as shown and described.

DESCRIPTION

FIG. 1 is an outer side view of the studded shock absorber with reservoir having a removable decorative sleeve; FIG. 2 is a top and outer side perspective of the studded shock absorber with reservoir having a removable decorative sleeve; FIG. 3 is a bottom and inner side perspective of the studded shock absorber with reservoir having a removable decorative sleeve; FIG. 4 is an inner side view of the studded shock absorber with reservoir having a removable decorative sleeve; FIG. 5 is a front view of the studded shock absorber with reservoir having a removable decorative sleeve; FIG. 6 is an outer side view of the studded shock absorber with reservoir having a removable decorative sleeve; FIG. 7 is a rear view of the studded shock absorber with reservoir having a removable decorative sleeve; FIG. 8 is a top plan view of the studded shock absorber with reservoir having a removable decorative sleeve; FIG. 9 is a bottom plan view of the studded shock absorber with reservoir having a removable decorative sleeve; FIG. 10 is a top plan view of the studded shock absorber with reservoir having a removable decorative sleeve showing two studs removed; and, FIG. 11 is a side view of the studded shock absorber with reservoir having a removable decorative sleeve, showing one stud removed and the removable decorative sleeve removed. The broken line showing of environment in FIGS. 1 and 11 is included for the purpose of illustrating environment only and forms no part of the claimed design.

1 Claim, 6 Drawing Sheets




FIG. 1






FIG. 3

FIG. 2

**FIG. 4****FIG. 5**




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11