



US00D661626S

(12) **United States Design Patent**  
**Aymar**

(10) **Patent No.:** **US D661,626 S**  
(45) **Date of Patent:** **\*\* Jun. 12, 2012**

(54) **STUDED SHOCK ABSORBER WITH RESERVOIR HAVING REMOVEABLE DECORATIVE SLEEVE**

**DESCRIPTION**

(76) Inventor: **Brandon P. Aymar**, Santee, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/379,047**

(22) Filed: **Nov. 12, 2010**

(51) **LOC (9) Cl.** ..... **12-16**

(52) **U.S. Cl.** ..... **D12/159**

(58) **Field of Classification Search** ..... 280/124.155, 280/124.147, 124.145, 124.146, 86.752, 280/11.225; 188/281, 298, 297, 315, 316, 188/274, 286; 267/195, 136, 64.15, 217; 464/173; D12/102-107, 118, 400, 161, 159, D12/160; D21/76; 293/134

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D553,545 S \* 10/2007 Nygren ..... D12/159  
2006/0169556 A1 \* 8/2006 Hsu ..... 188/314  
2011/0017559 A1 \* 1/2011 Sintorn ..... 188/314

\* cited by examiner

*Primary Examiner* — Michael Pratt


(74) *Attorney, Agent, or Firm* — Richard D. Clarke

(57) **CLAIM**

I claim the ornamental design for a studded shock absorber with reservoir having a removable decorative sleeve, as shown and described.

FIG. 1 is an outer side view of the studded shock absorber with reservoir having a removable decorative sleeve; FIG. 2 is a top and outer side perspective of the studded shock absorber with reservoir having a removable decorative sleeve; FIG. 3 is a bottom and inner side perspective of the studded shock absorber with reservoir having a removable decorative sleeve; FIG. 4 is an inner side view of the studded shock absorber with reservoir having a removable decorative sleeve; FIG. 5 is a front view of the studded shock absorber with reservoir having a removable decorative sleeve; FIG. 6 is an outer side view of the studded shock absorber with reservoir having a removable decorative sleeve; FIG. 7 is a rear view of the studded shock absorber with reservoir having a removable decorative sleeve; FIG. 8 is a top plan view of the studded shock absorber with reservoir having a removable decorative sleeve; FIG. 9 is a bottom plan view of the studded shock absorber with reservoir having a removable decorative sleeve; FIG. 10 is a top plan view of the studded shock absorber with reservoir having a removable decorative sleeve showing two studs removed; and, FIG. 11 is a side view of the studded shock absorber with reservoir having a removable decorative sleeve, showing one stud removed and the removable decorative sleeve removed. The broken line showing of environment in FIGS. 1 and 11 is included for the purpose of illustrating environment only and forms no part of the claimed design.

**1 Claim, 6 Drawing Sheets**






FIG. 1






FIG. 2

FIG. 3







**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 7**






FIG. 8





FIG. 9

FIG. 10






FIG. 11