

US00D661772S

(12) **United States Design Patent**  
**Nagai et al.**

(10) **Patent No.:** **US D661,772 S**  
(45) **Date of Patent:** **\*\* Jun. 12, 2012**

(54) **FISHING LURE**  
(75) Inventors: **Kenta Nagai**, Akash (JP); **Jun Fujiki**, Akash (JP)

JP 2004-173657 6/2004  
JP 2005-185257 7/2005  
JP 2005-218313 8/2005  
JP 3116938 11/2005  
JP 2006-115774 5/2006

(73) Assignee: **IMAKATSU Co., Ltd.**, Akashi-shi, Hyogo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/375,035**

(22) Filed: **Sep. 16, 2010**

(30) **Foreign Application Priority Data**

Apr. 21, 2010 (JP) ..... 2010-010043

(51) **LOC (9) Cl.** ..... **22-05**

(52) **U.S. Cl.** ..... **D22/133**

(58) **Field of Classification Search** ..... D22/126-133;  
43/42.24, 42.26, 42.28, 42.35, 42.39, 42.45,  
43/42.48, 42.15, 42.44; D21/597, 599  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,817,920 A \* 12/1957 Mitchell et al. .... 43/26.2  
D437,025 S \* 1/2001 Peck ..... D22/133  
D619,197 S \* 7/2010 Anderson et al. .... D22/131

**FOREIGN PATENT DOCUMENTS**

JP 10-286045 10/1998  
JP 2001-61372 3/2001  
JP 2004-57203 2/2004

**OTHER PUBLICATIONS**

New Guide to Lure Fishing, p. 28, 7th ed., Gakken Holding Co. Ltd., 2004—with a partial English translation 52835 Customer Number.

\* cited by examiner

*Primary Examiner* — Catheri Oliver

(74) *Attorney, Agent, or Firm* — Hamre, Schumann, Mueller & Larson, P.C.

(57) **CLAIM**

We claim the ornamental design for a fishing lure, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view;  
FIG. 2 is a bottom view;  
FIG. 3 is a rear view;  
FIG. 4 is a plan view;  
FIG. 5 is a right side view;  
FIG. 6 is a left side view; and,  
FIG. 7 is a reference view showing the state of movement of the tail fin.

The portion represented by solid lines is a part of the article for which registration is sought; the fishing lure includes a tail fin made of a small plate-like piece that is attached via an axis. The small plate-like piece is attached rotatably around the axis and movably up and down along the axis.

**1 Claim, 4 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

