



US00D661841S

(12) **United States Design Patent**  
**Klotz et al.**

(10) **Patent No.:** **US D661,841 S**  
(45) **Date of Patent:** **\*\* Jun. 12, 2012**

(54) **VISOR**

(75) Inventors: **Robert Klotz**, Jefferson Hills, PA (US);  
**Rebecca Kreke**, Pittsburgh, PA (US);  
**Mark Hall**, Spring Church, PA (US)

(73) Assignee: **Mine Safety Appliances Company**,  
Cranberry Township, PA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/388,908**

(22) Filed: **Apr. 4, 2011**

(51) **LOC (9) Cl.** ..... **29-02**

(52) **U.S. Cl.** ..... **D29/109; D29/110**

(58) **Field of Classification Search** ..... D29/100,  
D29/102, 103, 104, 105, 106, 107, 108, 109,  
D29/110, 111, 122; D24/189, 190, 191,  
D24/124; 2/9, 410–414, 416–425, 209.13,  
2/906, 6.7, 7, 8.1, 8.2, 8.6, 8.7, 171, 171.3,  
2/427, 429, 10, 206, 173, 4, 457; 128/889,  
128/201.24, 201.15, 857, 858, 891; 602/74,  
602/41, 58; 604/358

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,968,812	A *	1/1961	Vivolo	2/12
3,237,204	A *	3/1966	Honsaker et al.	2/13
3,605,115	A *	9/1971	Bohner	2/10
D254,638	S *	4/1980	Bay, Jr.	D29/109
D303,852	S *	10/1989	Lee	D29/109
5,007,109	A *	4/1991	Wheeler	2/10
D318,147	S *	7/1991	Russell	D29/110
D331,820	S *	12/1992	Scanlon	D29/110
D333,366	S *	2/1993	Brown	D29/109
D341,230	S *	11/1993	Kamata	D29/107
D359,586	S *	6/1995	Lofton	D29/110
D361,868	S *	8/1995	Raugh	D29/109
D370,310	S *	5/1996	Reuber et al.	D29/110
D374,951	S *	10/1996	Machson	D29/110
D375,583	S *	11/1996	Landis et al.	D29/108
D380,872	S *	7/1997	Wickland	D29/109
5,765,223	A *	6/1998	McCausland	2/9

D403,492	S *	1/1999	Tseng	D2/893
D404,849	S *	1/1999	Desy	D29/110
D454,667	S *	3/2002	Chartrand et al.	D29/110
D481,173	S *	10/2003	Alexander et al.	D29/110
D492,450	S *	6/2004	Fournier et al.	D29/122
D504,194	S *	4/2005	Canavan et al.	D29/122
D512,797	S *	12/2005	Canavan et al.	D29/122
D526,446	S *	8/2006	Cowan et al.	D29/109
D541,991	S *	5/2007	Lawrence	D29/122
D559,442	S *	1/2008	Regelbrugge et al.	D28/9
D568,545	S *	5/2008	Schaffner	D29/110
D607,608	S *	1/2010	Taylor	D29/109
7,725,949	B2 *	6/2010	Landis	2/9

\* cited by examiner

*Primary Examiner* — Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm* — Bartony & Associates, LLC

(57) **CLAIM**

The ornamental design for a visor, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a visor showing our new design in an unused condition;

FIG. 2 is a front view thereof, the rear view is identical;

FIG. 3 is a top view thereof;

FIG. 4 is a bottom view thereof;

FIG. 5 is a side view thereof, the opposite side view is identical;

FIG. 6 is a perspective view of the visor in FIG. 1 shown in a used condition;

FIG. 7 is a perspective view thereof, wherein the visor frame and the helmet are illustrated in broken lines;

FIG. 8 is a front view of the visor in FIG. 1 shown in a used condition;

FIG. 9 is a rear view thereof;


FIG. 10 is a side view thereof, the opposite side view is identical;

FIG. 11 is a top view thereof; and,

FIG. 12 is a bottom view thereof.

In the drawings, the broken lines in FIGS. 1, 2, 6, and 7-10 depict portions of the design that form no part of the claim.

**1 Claim, 8 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 5

FIG. 6






FIG. 8




FIG. 9




FIG. 10






FIG. 11




FIG. 12