

US00D661883S

(12) **United States Design Patent**
McCoy et al.

(10) **Patent No.:** **US D661,883 S**
(45) **Date of Patent:** **** Jun. 19, 2012**

(54) **FOREFOOT PLATE FOR A SHOE SOLE**

(75) Inventors: **Kevin McCoy**, Melrose, MA (US);
Aaron St. Peter, Hampstead, NH (US)

(73) Assignee: **New Balance Athletic Shoe, Inc.**,
Boston, MA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/379,447**

(22) Filed: **Nov. 19, 2010**

(51) **LOC (9) Cl.** **02-04**

(52) **U.S. Cl.** **D2/968**

(58) **Field of Classification Search** D2/896,
D2/946, 947, 949, 961, 962, 976, 950-960,
D2/968; 36/83, 88, 91, 92, 93, 95, 103, 104,
36/107, 113, 114, 115, 116, 132, 13, 6, 7.6,
36/12, 14, 15, 22 R, 25 R, 28, 32 R, 43, 44,
36/59 R, 62

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D30,294 S *	2/1899	Kratz	D2/968
D48,040 S *	10/1915	Phillips	D2/968
D48,041 S *	10/1915	Phillips	D2/968
D54,600 S *	3/1920	Cochrane	D2/968
D54,601 S *	3/1920	Cochrane	D2/968
D55,343 S *	5/1920	Wagner et al.	D2/968
1,819,539 A *	8/1931	Bringardner	36/155
D161,331 S *	12/1950	Gerdodian	D2/968
2,826,832 A *	3/1958	Rollman et al.	36/28
3,237,320 A *	3/1966	Couture	
3,341,952 A *	9/1967	Dassler	36/128
4,546,559 A *	10/1985	Dassler	
D300,085 S *	3/1989	Ito et al.	D2/961
D326,954 S *	6/1992	Kiyosawa et al.	D2/968
D376,900 S *	12/1996	Seydel et al.	D2/968

D402,452 S *	12/1998	Allen	D2/961
D429,409 S *	8/2000	Gillespie	D2/954
D443,129 S *	6/2001	Tresser	D2/946
D446,637 S *	8/2001	Patterson et al.	D2/961
D446,913 S *	8/2001	Holden	D2/916
D447,324 S *	9/2001	Smith et al.	D2/954
D453,988 S *	3/2002	Smith et al.	D2/954
6,708,427 B2	3/2004	Sussmann et al.	
7,179,414 B2	2/2007	Safdeye et al.	
7,401,422 B1	7/2008	Scholz et al.	

(Continued)

Primary Examiner — Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm* — New Balance Athletic Shoe, Inc.

(57) **CLAIM**

The ornamental design for a forefoot plate for a shoe sole, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a forefoot plate for a shoe sole showing our new design;

FIG. 2 is another perspective view of the forefoot plate for a shoe sole;

FIG. 3 is a front view of the forefoot plate for a shoe sole;

FIG. 4 is a medial side view of the forefoot plate for a shoe sole;

FIG. 5 is a bottom view of the forefoot plate for a shoe sole;


FIG. 6 is a lateral side view of the forefoot plate for a shoe sole;

FIG. 7 is a top view of the forefoot plate for a shoe sole; and,

FIG. 8 is a rear view of the forefoot plate for a shoe sole.

A forefoot plate for a shoe sole is shown in FIGS. 1-8. The broken lines shown in the drawings represent portions of a forefoot plate for a shoe sole that form no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D661,883 S

Page 2

U.S. PATENT DOCUMENTS

D612,138 S *	3/2010	Gaines	D2/960	D636,159 S *	4/2011	Petrie	D2/951
D612,139 S *	3/2010	Ford et al.	D2/961	D640,864 S *	7/2011	Munkhammar	D2/961
D630,422 S *	1/2011	Davis	D2/951	2003/0009919 A1	1/2003	Stein	
D632,881 S *	2/2011	Rosenberg	D2/961	2009/0019732 A1	1/2009	Sussmann	

* cited by examiner




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8