



US00D661947S

(12) **United States Design Patent**
Conti et al.

(10) **Patent No.:** **US D661,947 S**
(45) **Date of Patent:** **** Jun. 19, 2012**

(54) **BLENDER JAR**
(75) Inventors: **Michael P. Conti**, Saint Joseph, MI (US); **Jon Patrick Morris**, Anna, OH (US)
(73) Assignee: **Whirlpool Corporation**, Benton Harbor, MI (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/402,447**

| | | | | |
|--------------|------|---------|-----------------|----------|
| 7,281,842 | B2 * | 10/2007 | Dickson, Jr. | 366/205 |
| D562,160 | S * | 2/2008 | Cohen | D10/46.2 |
| 7,350,963 | B2 | 4/2008 | Williams et al. | |
| D587,526 | S | 3/2009 | Barnard et al. | |
| D588,406 | S * | 3/2009 | Ulanski | D7/413 |
| 7,753,223 | B2 | 7/2010 | Boozer et al. | |
| D621,656 | S | 8/2010 | Ulanski et al. | |
| D625,947 | S * | 10/2010 | Olson et al. | D7/319 |
| D637,862 | S * | 5/2011 | Fouquet | D7/378 |
| 2005/0122837 | A1 | 6/2005 | Bravard et al. | |
| 2009/0114616 | A1 | 5/2009 | White | |
| 2009/0238034 | A1 | 9/2009 | Ulanski et al. | |
| 2011/0013478 | A1 | 1/2011 | Athey et al. | |

(22) Filed: **Sep. 23, 2011**
(51) **LOC (9) Cl.** **31-00**
(52) **U.S. Cl.** **D7/413; D7/376; D7/378; D7/412**
(58) **Field of Classification Search** D7/301-313, D7/316-319, 368, 372-386, 391-398, 412-415, D7/515, 665, 679, 691; D10/46.2; 99/326, 99/348, 508-511; 241/30-37.5, 101.01-101.2, 241/166-169.1, 172, 285.1-285.3, 291, 292.1; 366/64-67, 98, 129, 142, 197-211, 241-254, 366/262, 279-292, 325.8, 325.92, 341-347; 416/75-77, 70 R, 163
See application file for complete search history.

FOREIGN PATENT DOCUMENTS

| | | | |
|----|---------|---|--------|
| CN | 2445692 | Y | 9/2001 |
| CN | 2936081 | Y | 8/2007 |

* cited by examiner

Primary Examiner — Ricky Pham

(74) *Attorney, Agent, or Firm* — Clifton G. Green; Diederiks & Whitelaw PLC

(57) **CLAIM**

The ornamental design for a blender jar, as shown and described.

DESCRIPTION


FIG. 1 is an upper left side perspective view of a blender jar showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof, with the right side elevational view being a mirror image;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.
The broken lines in FIGS. 1 and 3-6 showing a handle, FIG. 5 showing a blade assembly and FIG. 6 showing jar mounting and blade driving structure are for illustrative purposes only and form no part of the claimed invention.

1 Claim, 4 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|-----|---------|-----------------------|----------|
| 2,278,125 | A | 3/1942 | Landgraf | |
| D287,324 | S * | 12/1986 | Schmidt | D10/46.2 |
| D287,325 | S * | 12/1986 | Schmidt | D10/46.2 |
| D336,590 | S | 6/1993 | Barnard | |
| 5,487,511 | A | 1/1996 | Sansone et al. | |
| 5,584,577 | A | 12/1996 | Thies | |
| D437,192 | S * | 2/2001 | Verherbrugghen et al. | D7/691 |
| 6,550,703 | B2 | 4/2003 | Williams et al. | |
| D480,915 | S * | 10/2003 | Kolar et al. | D7/413 |
| D514,458 | S * | 2/2006 | Lawson et al. | D10/46.2 |
| D521,316 | S * | 5/2006 | Katz et al. | D7/398 |
| D525,080 | S * | 7/2006 | Katz et al. | D7/394 |
| D528,363 | S | 9/2006 | Ulanski et al. | |
| D552,916 | S * | 10/2007 | Bodum | D7/318 |






FIG. 1




FIG. 3




FIG. 2




FIG. 4




FIG. 5




FIG. 6