



US00D662034S

(12) **United States Design Patent**
Vandaele et al.

(10) **Patent No.:** **US D662,034 S**
(45) **Date of Patent:** **** Jun. 19, 2012**

(54) **PNEUMATIC TIRE**

(75) Inventors: **Mathieu Vandaele**,
Charbonniere-les-Varennnes (FR); **Gaétan**
Guibard, Clermont-Ferrand (FR)

(73) Assignees: **Societe de Technologie Michelin**,
Clermont-Ferrand (FR); **Michelin**
Recherche et Technique S.A.,
Granges-Paccot (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/391,434**

(22) Filed: **May 9, 2011**

(30) **Foreign Application Priority Data**

Nov. 8, 2010 (FR) 10 5680

(51) **LOC (9) Cl.** **12-15**

(52) **U.S. Cl.** **D12/583**

(58) **Field of Classification Search** D12/568-603,
D12/900-901, 547-550; 152/209.1-209.9,
152/209.11-209.19, 209.21-209.28, 455
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D175,996 S * 11/1955 Amspoker D12/583
D182,653 S * 4/1958 Girdner D12/583
D253,643 S 12/1979 Makino et al.
D260,142 S 8/1981 Takigawa et al.
D380,993 S 7/1997 Lurois et al.
D394,620 S 5/1998 Merino Lopez
D425,457 S 5/2000 Gillard et al.
D454,535 S 3/2002 Kemp, Jr.
D457,855 S * 5/2002 Bawin et al. D12/582

D458,896 S 6/2002 Kemp, Jr.
D470,455 S 2/2003 Kemp, Jr.
D471,512 S 3/2003 Weaver
D499,067 S 11/2004 Wage
D501,446 S 2/2005 Wage
D535,939 S 1/2007 Gordon et al.
D563,863 S 3/2008 Campana
D606,010 S 12/2009 Martin et al.
D627,710 S 11/2010 Rodicq et al.
D632,245 S * 2/2011 Audigier et al. D12/583
D638,353 S * 5/2011 Yonetsu D12/583
D651,554 S * 1/2012 Durand D12/583
D652,369 S * 1/2012 Lebreton D12/583

* cited by examiner

Primary Examiner — Stacia Cadmus

(74) *Attorney, Agent, or Firm* — Buchanan Ingersoll &
Rooney PC

(57) **CLAIM**

The ornamental design for a pneumatic tire, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of a pneumatic tire.
FIG. 2 is a front elevational view thereof.
FIG. 3 is an enlarged front elevational view thereof; and,
FIG. 4 is a side elevational view, the other side being a mirror
image thereof.

In the drawings, the broken lines defining the sidewall, inner
bead and the unclaimed sidewall depict environmental sub-
ject matter that forms no part of the claimed design. The
dash-dot lines represent the peripheral boundary between the
claimed tire tread and unclaimed sidewall.

The tread pattern is understood to repeat uniformly through-
out the circumference of the tire, as shown schematically in
solid lines.

1 Claim, 4 Drawing Sheets





FIG. 1






FIG. 2




FIG. 3




FIG. 4