



US00D662146S

(12) **United States Design Patent**
Podd

(10) **Patent No.:** **US D662,146 S**
(45) **Date of Patent:** **** *Jun. 19, 2012**

(54) **BACKLIT GRAPHIC DISPLAY DEVICE**
(75) Inventor: **George O. Podd**, Lake Forest, IL (US)
(73) Assignee: **Powerdecal LLC**, Lincolnwood, IL (US)
(*) Notice: This patent is subject to a terminal disclaimer.
(**) Term: **14 Years**

4,914,348 A	4/1990	Kameyama et al.	
D315,364 S *	3/1991	Scalice et al.	D19/10
5,005,306 A	4/1991	Kinstler	
5,073,842 A *	12/1991	Monroe	362/497
5,422,155 A *	6/1995	Spence, Jr.	428/76
5,444,930 A	8/1995	Loew	
5,516,387 A	5/1996	Hoffman	
5,527,568 A *	6/1996	Boone et al.	428/14
5,566,384 A	10/1996	Chien	
5,779,346 A *	7/1998	Burke	362/84
5,845,987 A	12/1998	Painter	

(Continued)

(21) Appl. No.: **29/373,502**
(22) Filed: **Apr. 15, 2011**
(51) **LOC (9) Cl.** **20-03**
(52) **U.S. Cl.** **D20/42; D20/43**
(58) **Field of Classification Search** D20/10, D20/13, 14, 17-19, 22, 27-29, 39-43, 99; 40/124.01, 200, 209, 219, 446, 452, 453, 40/538, 541, 542, 545-548, 563, 564, 570-574, 40/580, 582, 584, 587, 618, 651, 662, 700, 40/725, 734, 737, 757; D6/300, 308-310, D6/317; D10/104.1, 109.1, 109.2; D12/193; D14/374; D19/10, 52; 362/84, 497, 540, 362/812; 434/422; 428/14, 68, 76
See application file for complete search history.

Primary Examiner — Mary Ann Calabrese

(57) **CLAIM**
The ornamental design for the backlit graphic display device, as shown and described.

DESCRIPTION


FIG. 1 is a first frontal perspective view of the backlit graphic display device;
FIG. 2 is a front plan view of the backlit graphic display device;
FIG. 3 is a back plan view of the backlit graphic display device;
FIG. 4 is a first lateral edge of the backlit graphic display device;
FIG. 5 is a second lateral edge of the backlit graphic display device;
FIG. 6 is a first end view of the backlit graphic display device;
FIG. 7 is a second end view of the backlit graphic display device; and,
FIG. 8 is a second frontal perspective view of the backlit graphic display device shown in a condition of use.
The broken lines showing the window in FIG. 8 represent the environment and form no part of the claimed design. All other broken lines in the drawing views are included for the purpose of illustrating portions of the backlit graphic display device that form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

187,146 A *	2/1877	Hyatt	434/422
277,164 A *	5/1883	Scrymgeour	434/422
433,725 A *	8/1890	Ewing	434/159
3,047,970 A *	8/1962	Bleiberg	40/661
3,517,245 A	6/1970	Dickson, Jr. et al.	
4,138,620 A	2/1979	Dickson	
4,420,898 A	12/1983	Moses	
4,443,832 A	4/1984	Kanamori et al.	
4,466,208 A	8/1984	Logan, Jr. et al.	
4,494,326 A	1/1985	Kanamori	
4,603,065 A	7/1986	Mori et al.	
4,645,970 A	2/1987	Murphy	

1 Claim, 5 Drawing Sheets



US D662,146 S

Page 2

U.S. PATENT DOCUMENTS		
6,013,346	A	1/2000 Lewis et al.
6,170,968	B1	1/2001 Caswell
6,205,690	B1	3/2001 Heropoulos et al.
6,216,373	B1	4/2001 Liao
6,430,854	B1	8/2002 Szentgyorgyi et al.
6,604,834	B2	8/2003 Kalana
6,624,570	B1	9/2003 Nishio et al.
6,640,474	B2	11/2003 Knoerzer et al.
7,065,909	B2	6/2006 Snyder
D593,156	S *	5/2009 Vasconcelos D19/52
D625,928	S *	10/2010 Lee et al. D6/308
D628,199	S *	11/2010 Yukikado et al. D14/374
7,883,253	B2	2/2011 Wang
D635,976	S *	4/2011 Lee et al. D14/374
2001/0018809	A1	9/2001 Heropoulos et al.
2003/0089010	A1 *	5/2003 Wechter et al. 40/584
2004/0139637	A1 *	7/2004 Lee 40/564
2005/0091890	A1	5/2005 Snyder
2005/0164789	A1	7/2005 Nakamura et al.
2006/0103638	A1	5/2006 Podd
2008/0285219	A1	11/2008 Podd et al.
2009/0033648	A1	2/2009 Podd et al.
2011/0131849	A1 *	6/2011 Sato et al. 40/564

* cited by examiner




FIG. 1




FIG. 2




FIG. 3

FIG. 4





FIG. 5




FIG. 6




FIG. 7




FIG. 8