

US00D662569S

(12) **United States Design Patent**
McKay et al.

(10) **Patent No.:** **US D662,569 S**
(45) **Date of Patent:** **** Jun. 26, 2012**

(54) **FIRE SPRINKLER HEAD PAINT COVER**

6,641,059 B2 * 11/2003 Waligorski 239/288.5
6,669,111 B2 * 12/2003 Vinson et al. 239/288
D507,328 S * 7/2005 Clive D23/214

(75) Inventors: **Donald Robert McKay**, Forney, TX
(US); **Darrell Edward Fletcher**,
Richardson, TX (US)

(Continued)

(73) Assignee: **Coverguardian, Inc.**, Forney, TX (US)

Primary Examiner — Robin V Webster

(74) *Attorney, Agent, or Firm* — Kirby B. Drake; Klemchuk
Kubasta LLP

(**) Term: **14 Years**

(57) **CLAIM**

The ornamental design for a fire sprinkler head paint cover, as
shown and described.

(21) Appl. No.: **29/404,798**

(22) Filed: **Oct. 25, 2011**

DESCRIPTION

Related U.S. Application Data

(63) Continuation of application No. 11/676,596, filed on
Feb. 20, 2007, now abandoned.

(51) **LOC (9) Cl.** **23-01**

(52) **U.S. Cl.** **D23/214; D29/129**

(58) **Field of Classification Search** D23/213,
D23/214; D29/125, 129, 130; 169/37-39;
220/359.1, 724; 137/382; 239/288, 288.3,
239/288.5

See application file for complete search history.

FIG. 1 is a perspective view of an embodiment of the cover
wherein the cover is placed on the ceiling over a fire sprinkler
head.

FIG. 2 is another perspective view of an embodiment of the
cover showing an adhesive strip that may be attached to the
cover.

FIG. 3 is another perspective view of an embodiment of the
cover wherein the cover is turned upside down at an angle
relative to how it would be positioned when placed on a
ceiling.

FIG. 4 is another perspective view of an embodiment of the
cover wherein the cover is turned upside down relative to how
it would be positioned when placed on a ceiling.

FIG. 5 is a front view of an embodiment of the cover when the
cover is turned upside down relative to how it would be
positioned when placed on a ceiling.

FIG. 6 is a top view of an embodiment of the cover.

FIG. 7 is a bottom view of an embodiment of the cover; and,
FIG. 8 is a cross-sectional view taken along line 8-8 of FIG. 6.


The portions of the article in broken lines are shown for
illustrative purposes only and form no part of the claimed
design. The portions of the article not visible in the views
above form no part of the claimed design of the illustrated
embodiments.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,890,758	A *	6/1959	Pfalzgraff et al.	169/37
3,358,864	A	12/1967	Meierhoefer	
3,727,695	A *	4/1973	Danton	169/37
3,797,746	A *	3/1974	Gray et al.	239/288.5
4,648,526	A *	3/1987	Wood, Jr.	220/724
4,747,366	A	5/1988	Walker	
4,822,650	A	4/1989	Horiki	
5,097,906	A *	3/1992	Polan	169/37
5,405,037	A	4/1995	Piron	
5,419,666	A	5/1995	Best	
5,664,597	A	9/1997	Miskiewicz	
6,222,090	B1	4/2001	Weston	

1 Claim, 4 Drawing Sheets



US D662,569 S

Page 2

U.S. PATENT DOCUMENTS			D611,570 S *	3/2010	Yang	D23/214	
7,186,917	B1	3/2007	Van De Wiele	2006/0283858	A1	12/2006	Tucker
7,214,898	B1	5/2007	Margareten				
7,540,330	B2 *	6/2009	Orr et al.	169/37			* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8