

US00D662803S

(12) **United States Design Patent**
Johnson et al.

(10) **Patent No.:** **US D662,803 S**

(45) **Date of Patent:** **** Jul. 3, 2012**

(54) **DOOR HANDLE**

(75) Inventors: **Sam Johnson**, Reno, NV (US); **Axel Husen**, Reno, NV (US)

(73) Assignee: **Interlock USA, Inc.**, Reno, NV (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/391,549**

(22) Filed: **May 10, 2011**

(51) **LOC (9) Cl.** **08-06**

(52) **U.S. Cl.** **D8/302**

(58) **Field of Classification Search** D8/300,
D8/301, 302, 306, 308, 321, 313, 336, 337,
D8/338, 339, 341, 343; 16/110.1, 412, 444,
16/445, 430; 292/123, 153, 165, 169.11,
292/173, DIG. 27, DIG. 31, 336.3; 70/208

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D230,566	S	*	3/1974	Harrell	D8/302
D230,946	S	*	3/1974	Harrell	D8/302
4,643,005	A		2/1987	Logas		
4,973,091	A		11/1990	Paulson et al.		
D338,608	S	*	8/1993	Martin et al.	D8/302
5,450,735	A	*	9/1995	Esaki et al.	70/208
5,458,381	A		10/1995	Dziuk et al.		
D389,722	S	*	1/1998	Blom	D8/319
D391,143	S	*	2/1998	Jancsek	D8/338
D406,040	S	*	2/1999	Kuehn	D8/301
5,951,068	A		9/1999	Strong et al.		
D428,322	S	*	7/2000	Munch et al.	D8/302
6,363,577	B1	*	4/2002	Spitzley	292/336.3
6,363,761	B1	*	4/2002	Sauerland	70/208
D487,012	S	*	2/2004	Stoll et al.	D8/337
D506,377	S	*	6/2005	Marzolf et al.	D8/300
D522,837	S	*	6/2006	Vetter et al.	D8/306
D533,434	S	*	12/2006	Riblett et al.	D8/331
D629,275	S	*	12/2010	Schmidt	D8/300

D629,276	S	*	12/2010	Chelton	D8/302
D649,003	S	*	11/2011	Stuckey	D8/302
2007/0289220	A1		12/2007	Vilhauer		
2008/0129054	A1		6/2008	Tremble et al.		

(Continued)

FOREIGN PATENT DOCUMENTS

DE 1933168 5/1970

(Continued)

Primary Examiner — Paula Greene

(74) Attorney, Agent, or Firm — DeLio & Peterson, LLC

(57) **CLAIM**

The ornamental design for a “door handle,” as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a “door handle” showing my new design in an unlocked position;

FIG. 2 is a perspective view showing my new design in a locked position;

FIG. 3 is a front elevational view showing my new design in the unlocked position of FIG. 1;

FIG. 4 is a right side elevational view showing my new design in the unlocked position of FIG. 1.

FIG. 5 is a left side elevational view showing my new design in the unlocked position of FIG. 1.


FIG. 6 is a top elevational view showing my new design in the unlocked position of FIG. 1; and,

FIG. 7 is a bottom elevational view showing my new design in the unlocked position of FIG. 1.

A back elevational view has not been provided as the back is mounted against the door and forms no part of my new ornamental design.

The broken lines form no part of the claimed design.

1 Claim, 6 Drawing Sheets



US D662,803 S

Page 2

U.S. PATENT DOCUMENTS

2009/0293387 A1 12/2009 Miethe et al.
2010/0327612 A1 12/2010 Liebel et al.

FOREIGN PATENT DOCUMENTS

DE 1970972 7/1998
DE 29917091 2/2001

EP	0113655	7/1984
EP	0289715	11/1988
EP	1201851	5/2002
EP	1528188	5/2005
EP	2267253	12/2010
FR	2861781	5/2005

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7