

US00D662807S

(12) **United States Design Patent**
Waddell et al.

(10) **Patent No.:** **US D662,807 S**

(45) **Date of Patent:** **** Jul. 3, 2012**

(54) **MARKING AND FASTENING DEVICE**

(75) Inventors: **Raymond J. Waddell**, Vernon (CA);
Dean A. Myrfield, Vernon (CA)

(73) Assignee: **EZ-Snap Products Inc.**, Vernon (CA)

(**) Term: **14 Years**

(21) Appl. No.: **29/371,183**

(22) Filed: **Nov. 16, 2010**

Related U.S. Application Data

(62) Division of application No. 29/311,568, filed on Apr. 21, 2009.

(30) **Foreign Application Priority Data**

Oct. 22, 2008 (CA) 128404

(51) **LOC (9) Cl.** **08-08**

(52) **U.S. Cl.** **D8/382**

(58) **Field of Classification Search** D8/382,
D8/387, 391; 24/114.05, 595.1, 104, 90.1;
114/361; 33/669

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,594,416 A 8/1926 Kellog
(Continued)

FOREIGN PATENT DOCUMENTS

CA 2333092 A1 2/1999
(Continued)

OTHER PUBLICATIONS

International Search Report for PCT/CA2008/001852, International Searching Authority, Jun. 23, 2009.

Primary Examiner — Sheryl Lane

(74) *Attorney, Agent, or Firm* — Bull, Housser & Tupper LLP

(57) **CLAIM**

The ornamental design for a marking and fastening device, as shown and described.

DESCRIPTION

FIG. 1 is a side view of the male member portion of the marking and fastening device shown in FIG. 5 (in exploded form);

FIG. 2 is a bottom view of the male member shown in FIG. 1; FIG. 3 is a perspective view of the male member shown in FIG. 1;

FIG. 4 is a side plan view of the female member shown in FIG. 7;

FIG. 5 is an exploded view of the marking and fastening device shown in FIG. 9 showing a male member, a female member and a base;

FIG. 6 is a perspective view of the marking and fastening device shown in FIG. 9 illustrated within its environment, namely a material, the broken line showing is for environmental purposes only and forms no part of the claimed design;

FIG. 7 is a top plan view of the female member of the marking and fastening device shown in FIG. 5, in exploded form. The portions of the article shown in broken lines form no part of the claimed design;


FIG. 8 is a bottom plan view of the female member shown in FIG. 7, the portions of the article shown in broken lines from no part of the claimed design;

FIG. 9 is a perspective view showing the marking and fastening device shown in FIG. 5 (in exploded form);

FIG. 10 is a bottom plan view of the marking and fastening device shown in FIG. 9; and,

FIG. 11 is a top view of the male member shown in FIG. 1. The broken line showing of the material in FIG. 6 is included for the purpose of showing environment and forms no part of the claimed design. The broken lines shown in FIGS. 7 and 8 are included for the purpose of showing portions of the article and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D662,807 S

Page 2

U.S. PATENT DOCUMENTS

3,088,295	A	5/1963	Haines
D205,010	S	6/1966	Swendsen
4,507,344	A	3/1985	Baughman
4,557,455	A	12/1985	Benjamin
4,608,734	A	9/1986	Schiller
D286,373	S	10/1986	Hill
D292,780	S	11/1987	Galask
5,095,636	A	3/1992	Arnold
5,212,851	A	5/1993	Watanabe
D337,255	S	7/1993	Novelli, Sr.
5,490,309	A	2/1996	Velasquez

5,933,929	A	8/1999	Kawakami et al.
D466,001	S	11/2002	Monson
D498,414	S	11/2004	Yoneoka
D500,245	S	12/2004	Okada
D602,161	S	10/2009	Yazdi
D604,786	S	11/2009	Millar
7,735,235	B2	6/2010	Waddell et al.
2005/0188510	A1	9/2005	Retamal
2005/0235462	A1	10/2005	Takahashi et al.

FOREIGN PATENT DOCUMENTS

CA	2521568	A1	3/2007
----	---------	----	--------




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11