

US00D662808S

(12)

United States Design Patent  
Vandenberg

(10) Patent No.:

US D662,808 S

(45) Date of Patent:

\*\* Jul. 3, 2012

(54)

SCREW

(75)

Inventor: Roger A. Vandenberg, Hudsonville, MI (US)

(73)

Assignee: National Nail Corp., Grand Rapids, MI (US)

(\*\*) Term:

14 Years

5,064,324 A \*

11/1991 Ragaller

411/337

5,083,483 A

1/1992 Takagi

5,322,396 A

6/1994 Blacker

5,337,635 A

8/1994 Habermehl

5,351,586 A

10/1994 Habermehl et al.

5,469,767 A

11/1995 Habermehl

5,531,143 A

7/1996 Habermehl et al.

5,568,753 A

10/1996 Habermehl et al.

5,570,618 A

11/1996 Habermehl et al.

(Continued)

(21)

Appl. No.: 29/402,529

(22)

Filed: Sep. 23, 2011

CH

695482

6/2006

(Continued)

Related U.S. Application Data

(63)

Continuation of application No. 12/908,549, filed on Oct. 20, 2010, and a continuation of application No. 12/908,531, filed on Oct. 20, 2010.

(51)

LOC (9) Cl.

08-08

(52)

U.S. Cl.

D8/387

(58)

Field of Classification Search

D8/387, D8/388, 384, 391; 411/403, 337, 378, 410, 411/402, 411, 393, 405, 412, 481, 387.1, 411/388, 383

See application file for complete search history.

FOREIGN PATENT DOCUMENTS

OTHER PUBLICATIONS

Fiberon DeckPilot Mar. 2009.

(Continued)

Primary Examiner — Sheryl Lane

(74) Attorney, Agent, or Firm — Warner Norcross & Judd LLP

(57)

CLAIM

I claim the ornamental design for a screw, as shown and described.

(56)

References Cited

U.S. PATENT DOCUMENTS

126,366 A

4/1872 Wills

137,414 A

4/1873 Burdick

138,784 A

5/1873 Bourn

411,202 A

9/1889 Rose

2,774,969 A

12/1956 Samples

2,994,878 A

8/1961 Abrahamsen

3,010,496 A

11/1961 Bruce

3,012,247 A

12/1961 Sillars

3,147,484 A

9/1964 Nelson

3,316,949 A

5/1967 Canfield

3,360,176 A

12/1967 Gehl

3,942,405 A

3/1976 Wagner

4,018,254 A

4/1977 DeCaro

4,146,071 A

3/1979 Mueller et al.

4,625,597 A

12/1986 Cast

DESCRIPTION

FIG. 1 is a side view of the screw embodying the new design;

FIG. 2 is a second side view thereof;

FIG. 3 is a third side view thereof;


FIG. 4 is a top view thereof;

FIG. 5 is a point end view thereof; and,

FIG. 6 is a close up perspective view thereof.

FIGS. 1-6 show features of a screw in phantom lines. These features are shown for environmental purposes and do not form any part of the claimed design. The phantom lines immediately adjacent the solid-line portions of the design form the boundary of the design, with the phantom lines forming no part of the claimed design.

1 Claim, 2 Drawing Sheets



U.S. PATENT DOCUMENTS

|           |      |         |                   |           |
|-----------|------|---------|-------------------|-----------|
| D391,135  | S    | 2/1998  | Habermehl et al.  |           |
| 5,871,486 | A    | 2/1999  | Huebner et al.    |           |
| 5,884,541 | A    | 3/1999  | Habermehl et al.  |           |
| 5,918,512 | A    | 7/1999  | Habermehl et al.  |           |
| 5,927,163 | A    | 7/1999  | Habermehl et al.  |           |
| 5,934,162 | A    | 8/1999  | Habermehl         |           |
| 6,089,132 | A    | 7/2000  | Habermehl         |           |
| 6,244,140 | B1   | 6/2001  | Habermehl         |           |
| 6,394,712 | B1   | 5/2002  | Weinstein et al.  |           |
| 6,425,306 | B1   | 7/2002  | Habermehl         |           |
| 6,439,085 | B1   | 8/2002  | Habermehl         |           |
| 6,453,780 | B2   | 9/2002  | Habermehl         |           |
| 6,481,937 | B1   | 11/2002 | Sommerfeld et al. |           |
| D469,007  | S *  | 1/2003  | Chen et al.       | D8/387    |
| 6,601,480 | B1   | 8/2003  | Habermehl         |           |
| 6,843,402 | B2   | 1/2005  | Sims et al.       |           |
| 6,887,023 | B1 * | 5/2005  | Lu et al.         | 411/387.1 |
| 6,941,847 | B2   | 9/2005  | Habermehl et al.  |           |
| 7,044,460 | B2   | 5/2006  | Bolton            |           |
| 7,090,453 | B2 * | 8/2006  | Lin               | 411/387.1 |
| D557,130  | S *  | 12/2007 | Kashikura et al.  | D8/387    |
| D557,131  | S *  | 12/2007 | Liu               | D8/387    |
| 7,344,057 | B2   | 3/2008  | Dion et al.       |           |
| D567,644  | S *  | 4/2008  | Liu               | D8/387    |
| D581,776  | S *  | 12/2008 | Yin-Feng          | D8/387    |

|              |      |         |                 |           |
|--------------|------|---------|-----------------|-----------|
| D604,153     | S *  | 11/2009 | Wantz           | D8/387    |
| 7,682,118    | B2 * | 3/2010  | Gong et al.     | 411/387.1 |
| 7,682,119    | B2 * | 3/2010  | Chen            | 411/411   |
| D614,942     | S *  | 5/2010  | Gaudron         | D8/387    |
| D634,186     | S *  | 3/2011  | Kemper          | D8/387    |
| D637,896     | S *  | 5/2011  | Dotsey          | D8/387    |
| D647,393     | S *  | 10/2011 | Carrillo et al. | D8/387    |
| 2005/0278934 | A1   | 12/2005 | Orchard         |           |
| 2008/0296341 | A1   | 12/2008 | Francescon      |           |
| 2010/0083610 | A1   | 4/2010  | King            |           |

FOREIGN PATENT DOCUMENTS

|    |            |         |
|----|------------|---------|
| DE | 4331689    | 3/1994  |
| EP | 1595627    | 11/2005 |
| GB | 191001226  | 0/1910  |
| GB | 167620     | 8/1921  |
| GB | 2127927    | 4/1984  |
| JP | 7217625    | 8/1995  |
| JP | 2000257616 | 9/2000  |
| JP | 2004308732 | 11/2004 |

OTHER PUBLICATIONS

Fiberon DeckPilot Dec. 2009.

\* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : D662,808 S  
APPLICATION NO. : 29/402529  
DATED : July 3, 2012  
INVENTOR(S) : Vandenberg

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page, under heading Related U.S. Application Data:


“(63) Continuation of application No. 12/908,549, filed on Oct. 20, 2010, and a continuation of application No. 12/908,531, filed on Oct. 20, 2010.”

should be

--(63) Continuation of application No. 12/908,549, filed on Oct. 20, 2010, and a continuation of application No. 12/908,531, filed on Oct. 20, 2010

(60) Provisional application 61/294,681, filed on Jan. 13, 2010, and provisional application 61/320,128, filed on Apr. 1, 2010.--

Signed and Sealed this  
Twenty-third Day of October, 2012

A handwritten signature in black ink, reading "David J. Kappos". The signature is written in a cursive, flowing style with a large initial "D".

David J. Kappos  
*Director of the United States Patent and Trademark Office*