

US00D662971S

(12) **United States Design Patent**
Nakayama et al.

(10) **Patent No.:** **US D662,971 S**
(45) **Date of Patent:** **** Jul. 3, 2012**

(54) **LABEL PRINTER**

(75) Inventors: **Tetsu Nakayama**, Matsumoto (JP);
Yoshihiro Tatara, Matsumoto (JP);
Yasutomo Takahashi, Matsumoto (JP);
Kenichi Nakajima, Shimosuwa-machi
(JP); **Daisuke Sato**, Matsumoto (JP)

(73) Assignee: **Seiko Epson Corporation**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/396,129**

(22) Filed: **Jun. 27, 2011**

(30) **Foreign Application Priority Data**

Jan. 5, 2011 (JP) 2011-000034

(51) **LOC (9) Cl.** **18-99**

(52) **U.S. Cl.** **D18/19; D18/52**

(58) **Field of Classification Search** D18/14-21,
D18/6-7, 50, 52; D19/68; D14/347, 426;
358/1.1, 1.6, 1.8; 101/111, 288; 156/DIG. 48,
156/0.49

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D234,599 S * 3/1975 Fossella et al. D18/7
D263,969 S * 4/1982 Hirata et al. D18/7
D309,729 S * 8/1990 Tanabe D14/346
5,111,216 A * 5/1992 Richardson et al. 347/218

D360,890 S * 8/1995 Tremlett D18/19
D379,971 S 6/1997 Jones et al.
D490,842 S 6/2004 Kamiya et al.
6,874,005 B2 * 3/2005 Fortenberry et al. 708/130
D560,712 S * 1/2008 de Brebisson D18/7
D580,478 S * 11/2008 Matsuda et al. D18/7
D601,182 S 9/2009 Mita et al.
D601,619 S 10/2009 Hattori
D632,329 S 2/2011 Thaler et al.
D643,034 S * 8/2011 Tasselli et al. D14/347
2007/0013950 A1 1/2007 Kajihara
2011/0229238 A1 9/2011 Shintani

* cited by examiner

Primary Examiner — Bridget L Eland

(57) **CLAIM**

The ornamental design for a label printer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a label printer showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

The broken lines immediately adjacent the shaded areas represent the bounds of the claimed design while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 3 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 7



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION


PATENT NO. : D662,971 S
APPLICATION NO. : 29/396129
DATED : July 3, 2012
INVENTOR(S) : Nakayama et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Delete fig. 3 and substitute therefor the drawing sheet, consisting of fig. 3 as shown on the attached page.

Signed and Sealed this
Eighteenth Day of September, 2012

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive, slightly slanted style.

David J. Kappos
Director of the United States Patent and Trademark Office

FIG. 3

