



US00D663060S

(12) **United States Design Patent**
Egawa et al.

(10) **Patent No.:** **US D663,060 S**
(45) **Date of Patent:** **** Jul. 3, 2012**

(54) **LIGHT SOURCE FOR A LIGHTING UNIT**

(75) Inventors: **Kazuo Egawa**, Kanagawa (JP); **Hiroshi Kamata**, Kanagawa (JP)

(73) Assignees: **Toshiba Lighting & Technology Corporation**, Kanagawa (JP);
Kabushiki Kaisha Toshiba, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/366,718**

(22) Filed: **Jul. 29, 2010**

(30) **Foreign Application Priority Data**

Feb. 3, 2010 (JP) 2010-002479

(51) **LOC (9) Cl.** **26-02**

(52) **U.S. Cl.** **D26/37**

(58) **Field of Classification Search** D26/37-50;
362/157-171, 173-187, 188-208
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D383,228 S * 9/1997 Petruzzi D26/37
D390,677 S * 2/1998 Hanewinkel, III D26/37

D402,067 S * 12/1998 Sinclair D26/37
D410,759 S * 6/1999 Petruzzi D26/37
D411,765 S * 7/1999 Holihan D3/247
D435,675 S * 12/2000 Sinclair D26/37
D496,479 S * 9/2004 Ashfield D26/37
D509,654 S * 9/2005 Miller D3/247
D541,964 S * 5/2007 Tseng D26/51

FOREIGN PATENT DOCUMENTS

JP D1284269 10/2006
JP D1344620 11/2009

* cited by examiner

Primary Examiner — Marcus Jackson

(74) *Attorney, Agent, or Firm* — J.C. Patents



(57) **CLAIM**

The ornamental design for a light source for a lighting unit, as shown.

DESCRIPTION

FIG. 1 is a front view of a light source for a lighting unit showing our new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a right side view thereof, the left side view being a mirror image of the right side view;
FIG. 4 is a top view thereof; and,
FIG. 5 is a bottom view thereof.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3

11	11	11
11	11	11

FIG. 4

11	11	11	11	11
11	11	11	11	11

FIG. 5