



US00D663723S

(12) **United States Design Patent**
Ashiwa et al.

(10) **Patent No.:** **US D663,723 S**
(45) **Date of Patent:** **** Jul. 17, 2012**

(54) **MICROPHONE FOR AUDIO
TELECONFERENCES**

(75) Inventors: **Naoki Ashiwa**, Takasaki (JP); **Hiroya Mochimasu**, Maebashi (JP); **Kazunori Kobayashi**, Kodaira (JP); **Takeshi Konno**, Akishima (JP); **Masao Minokawa**, Tokyo (JP); **Yumi Yoshie**, Yokohama (JP); **Sonomi Kobune**, Fujisawa (JP); **Yoshiaki Kozaki**, Musashino (JP); **Minato Kanazawa**, Nishitokyo (JP); **Yuta Kawaguchi**, Funabashi (JP); **Atsushi Ishibashi**, Tokorozawa (JP); **Yoshihiro Iwama**, Kokubunji (JP)

(73) Assignees: **Nakayo Telecommunications, Inc.**, Maebashi-shi, Gunma (JP); **NTT Advanced Technology Corporation**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/408,761**

(22) Filed: **Dec. 16, 2011**

(51) **LOC (9) Cl.** **14-01**

(52) **U.S. Cl.** **D14/227**

(58) **Field of Classification Search** D21/513;
D17/99; D16/208; D14/497, 249, 243, 227,
D14/226, 225, 167, 155, 234; 446/416; 381/369,
381/355, 92, 174; 455/575.2

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D143,363 S * 12/1945 Stone D14/227
D195,967 S * 8/1963 Spilman D14/227
D195,968 S * 8/1963 Spilman D14/227
D433,013 S * 10/2000 Yuyama et al. D14/227

D442,166 S * 5/2001 Schmidt D14/227
D448,363 S * 9/2001 Amae et al. D14/227
D469,417 S * 1/2003 Hsu D14/142
D469,418 S * 1/2003 Hsu D14/142
D629,794 S * 12/2010 Aarrestad D14/225
D630,192 S * 1/2011 Heppener D14/226

FOREIGN PATENT DOCUMENTS

JP 625558 S 2/1984
JP 629404 S 4/1984
JP 737829 S 3/1988
JP 738686 S 4/1988
JP 750763 S 8/1988
JP 753925 S 10/1988
JP 804744 S 10/1990
JP 806140 S 10/1990
JP 948945 S 12/1995

* cited by examiner

Primary Examiner — Austin Murphy

(74) *Attorney, Agent, or Firm* — Westerman, Hattori,
Daniels & Adrian, LLP


(57) **CLAIM**

The ornamental design for an microphone for audio teleconferences, as shown and described.

DESCRIPTION

FIG. 1 is a left front perspective view of a microphone for audio teleconferences showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof; and,
FIG. 8 is a cross-sectional view taken along line 8-8 of FIG. 2.
The broken lines shown in the drawings represent portions of the microphone for audio teleconferences that form no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8