

US00D663918S

(12) **United States Design Patent**  
**Bengyak**

(10) **Patent No.:** **US D663,918 S**

(45) **Date of Patent:** **\*\* \*Jul. 24, 2012**

(54) **PAIR OF GLOVES**

(76) Inventor: **Christopher Edward Bengyak**, Vero Beach, FL (US)

(\*) Notice: This patent is subject to a terminal disclaimer.

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/373,343**

(22) Filed: **Mar. 31, 2011**

(51) **LOC (9) Cl.** ..... **02-06**

(52) **U.S. Cl.** ..... **D2/617**

(58) **Field of Classification Search** ..... D2/610, D2/614, 615, 616, 617, 618, 619, 620, 621, D2/622, 623; D20/33; D21/807; D28/63; D29/113, 114, 116.2, 117.1, 117.2, 120.1; D32/40, 41, 42, 43; 2/16, 158, 159, 161.1, 2/161.3, 161.4, 161.5, 161.8, 162, 168, 170, 2/455, 908, 910, 917; 40/586; 446/26

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D54,578	S	*	3/1920	Benjamin	.....	D29/117.1
3,255,461	A	*	6/1966	Bullock	.....	2/159
D260,626	S	*	9/1981	Kadar	.....	D11/160
D273,054	S	*	3/1984	Brinson, Jr.	.....	D29/113
D295,640	S	*	5/1988	Breault	.....	D10/109.1
5,067,175	A	*	11/1991	Gold	.....	2/16
6,155,836	A	*	12/2000	Hancock	.....	434/188
D459,859	S	*	7/2002	Poteat	.....	D2/617
D461,620	S	*	8/2002	Bevier	.....	D2/623
D463,090	S	*	9/2002	Richer-Valenzano	.....	D2/621
D477,125	S	*	7/2003	Trams	.....	D2/621

6,732,377	B1	*	5/2004	Wilkinson	.....	2/161.4
D550,903	S	*	9/2007	Nakamura	.....	D29/116.2
D589,679	S	*	4/2009	Rolfe	.....	D2/617
D617,529	S	*	6/2010	Bengyak	.....	D2/615
D620,678	S	*	8/2010	Bengyak	.....	D2/615
D627,947	S	*	11/2010	Bengyak	.....	D2/617
D628,358	S	*	12/2010	Bengyak	.....	D2/619
D635,736	S	*	4/2011	Warman	.....	D2/615
D637,788	S	*	5/2011	Wood	.....	D2/619

\* cited by examiner

*Primary Examiner* — Karen E Eldridge Powers

(57) **CLAIM**

The ornamental design for a pair of gloves, as shown and described.

**DESCRIPTION**

Cross-reference to related applications: to design patent application Ser. No. 29/373,324 filed Mar. 31, 2011.

FIG. 1 is an elevational backhand view of a right hand glove according to the present invention;

FIG. 2 is an elevational palm-side view of the glove of FIG. 1 according to the present invention;

FIG. 3 is an elevational backhand view of a left hand glove according to the present invention;

FIG. 4 is an elevational palm-side view of the glove of FIG. 3 according to the present invention;



FIG. 5 is an elevational backhand view of a right hand glove according to the present invention;

FIG. 6 is an elevational palm-side view of the glove of FIG. 5 according to the present invention;

FIG. 7 is an elevational backhand view of a left hand glove according to the present invention; and,

FIG. 8 is an elevational palm-side view of the glove of FIG. 7 according to the present invention.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8