

US00D663931S

(12) **United States Design Patent**
Allen et al.

(10) **Patent No.:** **US D663,931 S**
(45) **Date of Patent:** **** Jul. 24, 2012**

(54) **CUSHION INSERT**

Primary Examiner — Stella Reid
Assistant Examiner — Keli L Hill

(75) Inventors: **Andre K. Allen**, Zelienople, PA (US);
Ian M. Cummings, Allison Park, PA (US)

(74) *Attorney, Agent, or Firm* — FERENCE & ASSOCIATES LLC

(73) Assignee: **Pittsburgh Plastics Manufacturing, Inc.**, Butler, PA (US)

(57) **CLAIM**

The ornamental design of the cushion inserts, as shown and described.

(**) Term: **14 Years**

(21) Appl. No.: **29/380,662**

(22) Filed: **Dec. 9, 2010**

(51) **LOC (9) Cl.** **02-04**

(52) **U.S. Cl.** **D2/961**

(58) **Field of Classification Search** D2/914,
D2/946-962; 36/43, 44, 71, 88, 91-94, 100,
36/101, 126, 136, 145, 154, 173; D24/124,
D24/125

See application file for complete search history.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a cushion insert, showing our new design;
FIG. 2 is a left side elevational view of the cushion insert design illustrated in FIG. 1;
FIG. 3 is a right side elevational view of the cushion insert design illustrated in FIG. 1;
FIG. 4 is a front elevational view of the cushion insert design illustrated in FIG. 1;
FIG. 5 is a rear elevational view of the cushion insert design illustrated in FIG. 1;
FIG. 6 is a plan view of the cushion insert design illustrated in FIG. 1;
FIG. 7 is an opposing plan view of the cushion insert design illustrated in FIG. 6;
FIG. 8 is a perspective view of a second embodiment of a cushion insert, showing our new design;
FIG. 9 is a left side elevational view of the cushion insert design illustrated in FIG. 8;
FIG. 10 is a right side elevational view of the cushion insert design illustrated in FIG. 8;
FIG. 11 is a front elevational view of the cushion insert design illustrated in FIG. 8;
FIG. 12 is a rear elevational view of the cushion insert design illustrated in FIG. 8;
FIG. 13 is a plan view of the cushion insert design illustrated in FIG. 8; and,
FIG. 14 is an opposing plan view of the cushion insert design illustrated in FIG. 13.


(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|--------------|------|---------|----------------|----------|
| 2,099,577 | A * | 11/1937 | Silver | 36/162 |
| 2,268,777 | A * | 1/1942 | Scholl | 128/894 |
| 2,904,814 | A * | 9/1959 | Scholl | 15/244.1 |
| D300,084 | S * | 3/1989 | Ito et al. | D2/961 |
| D341,022 | S * | 11/1993 | Zona | D2/961 |
| D353,259 | S * | 12/1994 | Schroer, Jr. | D2/961 |
| D354,616 | S * | 1/1995 | Schroer, Jr. | D2/961 |
| D396,341 | S * | 7/1998 | Lozano et al. | D2/961 |
| D396,343 | S * | 7/1998 | Foxen et al. | D2/961 |
| D397,238 | S * | 8/1998 | Lozano et al. | D2/961 |
| 6,338,207 | B1 * | 1/2002 | Chang | 36/29 |
| D496,526 | S * | 9/2004 | Grisoni et al. | D2/961 |
| D531,790 | S * | 11/2006 | Wurzberg | D2/961 |
| D570,488 | S * | 6/2008 | Kirksey et al. | D24/189 |
| D580,640 | S * | 11/2008 | Wurzberg | D2/961 |
| D586,545 | S * | 2/2009 | Feldman | D2/961 |
| D607,194 | S * | 1/2010 | Zagula | D2/961 |
| D612,139 | S * | 3/2010 | Ford et al. | D2/961 |
| D632,881 | S * | 2/2011 | Rosenberg | D2/961 |
| 2006/0086005 | A1 * | 4/2006 | Yerian | 36/71 |
| 2010/0071705 | A1 * | 3/2010 | Alviso | 128/845 |

* cited by examiner

1 Claim, 10 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10



FIG. 11



FIG. 12




FIG. 13




FIG. 14