



US00D663960S

(12) **United States Design Patent**
Jeronimo

(10) **Patent No.:** **US D663,960 S**
(45) **Date of Patent:** **** Jul. 24, 2012**

(54) **SUBSTRATE WITH CAMOUFLAGE PATTERN**

(75) Inventor: **Thomas Jeronimo**, Swansea, MA (US)

(73) Assignee: **Brookwood Companies Incorporated**,
New York, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/373,690**

(22) Filed: **May 12, 2011**

(51) **LOC (9) Cl.** **05-05**

(52) **U.S. Cl.** **D5/62**

(58) **Field of Classification Search** D5/6, 16,
D5/26, 32, 36, 37, 53, 55, 57, 59, 62, 63,
D5/66, 99; D6/582, 588, 600, 609, 614,
D6/619; D19/6; D24/126; 112/401, 416,
112/439; 139/383 R; 428/32, 39, 66.5, 79,
428/187, 542.2, 542.6, 919

See application file for complete search history.

| | | | |
|--------------|--------|------------------|---------|
| D306,658 S | 3/1990 | Haskell | |
| D309,380 S | 7/1990 | Barger et al. | |
| D326,363 S | 5/1992 | Cooper | |
| D332,179 S | 1/1993 | Barger et al. | |
| D370,350 S * | 6/1996 | Spadacini | D5/32 |
| D391,402 S * | 3/1998 | Josephs | D5/58 |
| D409,840 S | 5/1999 | Pretorius | |
| D428,590 S * | 7/2000 | Lagaay | D12/190 |
| D469,260 S | 1/2003 | Hexels | |
| D471,720 S | 3/2003 | Simmons | |
| D474,613 S * | 5/2003 | Hexels | D5/62 |
| D474,897 S | 5/2003 | Clausen et al. | |
| D485,993 S | 2/2004 | Noble | |
| D486,650 S | 2/2004 | Zupkofska et al. | |
| D513,453 S | 1/2006 | Ellis et al. | |
| D518,646 S | 4/2006 | Peterson | |
| D518,963 S | 4/2006 | Peterson | |
| D525,434 S | 7/2006 | Mangram | |
| D526,127 S | 8/2006 | Oliver et al. | |
| D526,790 S | 8/2006 | Sparkes | |
| D527,191 S | 8/2006 | Sparkes | |
| D528,308 S | 9/2006 | Gonzales | |

(Continued)

Primary Examiner — Karen S Acker

(74) *Attorney, Agent, or Firm* — Mary Ann C. Ball

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|---------------|---------|-----------------|--------|
| D9,238 S * | 4/1876 | Stearns | D5/32 |
| D77,964 S * | 3/1929 | Kahrmann | D5/62 |
| D88,774 S * | 12/1932 | Gottesman | D5/32 |
| D90,466 S * | 8/1933 | Willheim | D5/62 |
| 2,134,124 A * | 10/1938 | Hiemann | 428/29 |
| D112,732 S * | 12/1938 | Blum | D5/37 |
| D113,909 S * | 3/1939 | Horowitz | D5/37 |
| D113,911 S * | 3/1939 | Horowitz | D5/36 |
| D121,644 S * | 7/1940 | Ullman | D5/62 |
| D174,011 S * | 2/1955 | Beckstett | D5/32 |
| 3,969,454 A * | 7/1976 | Thornber et al. | 264/78 |
| D297,786 S | 9/1988 | Braungardt | |
| D299,188 S | 1/1989 | Norton | |
| D301,289 S | 5/1989 | McIlhinney | |
| D301,803 S | 6/1989 | McIlhinney | |
| D301,804 S | 6/1989 | McIlhinney | |
| D301,805 S | 6/1989 | McIlhinney | |

(57) **CLAIM**

The ornamental design for a substrate with camouflage pattern, as shown and described.


DESCRIPTION

The file of this patent contains at least one drawing executed in color. Copies of this patent with color drawings will be provided by the Office upon request and payment of the necessary fee.

The sole FIGURE is a plan view of a substrate with camouflage pattern showing my new design.

The broken lines define the boundaries of the claimed design and form no part thereof.

1 Claim, 1 Drawing Sheet
(1 of 1 Drawing Sheet(s) Filed in Color)



US D663,960 S

Page 2

U.S. PATENT DOCUMENTS

| | | | |
|--------------|---------|----------------|-------|
| D538,050 S | 3/2007 | Tardif | |
| D540,545 S * | 4/2007 | Doose | D5/62 |
| D544,717 S | 6/2007 | Bloomer | |
| D557,902 S | 12/2007 | Parrish | |
| D560,915 S | 2/2008 | Crye et al. | |
| D572,909 S | 7/2008 | Crye et al. | |
| D586,981 S | 2/2009 | Ray | |
| D592,861 S | 5/2009 | Crye et al. | |
| D599,530 S | 9/2009 | Ray | |
| D599,977 S | 9/2009 | Ray | |
| D602,258 S | 10/2009 | Simione et al. | |
| D616,207 S * | 5/2010 | Weng | D5/32 |

* cited by examiner

