



US00D664019S

(12) **United States Design Patent**
Li

(10) **Patent No.:** **US D664,019 S**
(45) **Date of Patent:** **** Jul. 24, 2012**

(54) **SCREWDRIVER**

(75) Inventor: **Zhong-Yong Li**, Shenzhen (CN)

(73) Assignee: **Hon Hai Precision Industry Co., Ltd.**,
Tu-Cheng, New Taipei (TW)

(**) Term: **14 Years**

(21) Appl. No.: **29/409,922**

(22) Filed: **Dec. 30, 2011**

Related U.S. Application Data

(62) Division of application No. 29/353,032, filed on Dec. 31, 2009, now Pat. No. Des. 653,516.

(30) **Foreign Application Priority Data**

Dec. 8, 2009 (CN) 2009 3 0328251

(51) **LOC (9) Cl.** **08-04**

(52) **U.S. Cl.** **D8/86**

(58) **Field of Classification Search** D8/70,
D8/82, 85-87, 105; 81/125, 124.2, 436,
81/438-441, 460-461, 467, 489-490, 901
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,480,514	A *	11/1984	Ponziani	81/461
4,708,542	A *	11/1987	Emanuelli	408/144
D294,796	S *	3/1988	Bonbright	D8/51
D306,471	S *	3/1990	Gabbert, Jr.	D21/793
D312,034	S *	11/1990	Espin	D8/86
5,272,943	A *	12/1993	Edwards	81/461
D353,315	S *	12/1994	Romeo	D8/70
D356,016	S *	3/1995	Jewell	D8/21
D359,895	S *	7/1995	Snow	D8/21
D371,946	S *	7/1996	Giblin	D8/82

D371,947	S *	7/1996	Mellinger	D8/86
D378,655	S *	4/1997	Anderson	D8/70
D383,044	S *	9/1997	Soucy	D8/21
D398,360	S *	9/1998	George	D21/793
D409,463	S *	5/1999	McMullin	D8/25
D422,145	S *	4/2000	Hsu	D4/116
D423,901	S *	5/2000	DePrisco	D8/86
D434,290	S *	11/2000	McMullin	D8/21
7,293,312	B2 *	11/2007	Chmelar	7/165
D624,382	S *	9/2010	Loniewski et al.	D8/86
7,887,539	B2 *	2/2011	Dunbar et al.	606/86 A

OTHER PUBLICATIONS

Eazypower 13269 #12 Spanner Bit. First downloaded Jun. 19, 2011 at <http://www.ronshomeandhardware.com/13269-12-Spanner-Bit-p/875727.htm?Click=7805> into application file for parent, U.S. Appl. No. 29/353,032.*

* cited by examiner

Primary Examiner — Philip S Hyder

Assistant Examiner — Roselynn Cody

(74) *Attorney, Agent, or Firm* — Altis Law Group, Inc.

(57) **CLAIM**

The ornamental design for a screwdriver, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a screwdriver showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;


FIG. 5 is a right side, elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

The broken lines in the drawings illustrate features of the screwdriver that form no part of the claim.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7