



US00D664021S

(12) **United States Design Patent**
Gilbert

(10) **Patent No.:** **US D664,021 S**

(45) **Date of Patent:** **** Jul. 24, 2012**

(54) **HANDLE**

(75) **Inventor:** **Christopher Jon Gilbert**, Moreland Hills, OH (US)

(73) **Assignee:** **Moen Incorporated**, North Olmsted, OH (US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/398,254**

(22) **Filed:** **Jul. 28, 2011**

(51) **LOC (9) Cl.** **08-06**

(52) **U.S. Cl.** **D8/316**

(58) **Field of Classification Search** D8/300,

D8/316, 317, 318, 319, 320, 321; D6/549,

D6/550; D99/11; D3/246; 16/110.1, 415,

16/412; 211/105.1; 248/254, 262

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

638,611 A	12/1899	Totham	
1,097,496 A *	5/1914	Woodhead	248/231.91
1,276,463 A *	8/1918	Wells	248/222.14
D55,354 S *	6/1920	Baker	D6/549
1,652,052 A *	12/1927	Rukenbrod	16/412
1,769,326 A *	7/1930	Weis	211/123
1,915,112 A *	6/1933	Wittstein	138/146
2,052,606 A *	9/1936	Comstock	211/123
D211,939 S	8/1968	Aleks	
D272,800 S	2/1984	Pawlow	
D274,035 S	5/1984	Pawlow	
D274,123 S *	6/1984	Tegner	D8/316
D285,106 S	8/1986	Yost	
D286,963 S *	12/1986	Waghorn	D6/549
D291,477 S	8/1987	Lathrop	
D294,669 S	3/1988	Litowitz	
D297,505 S	9/1988	Mosch	
D311,294 S	10/1990	Litowitz	

5,026,013 A *	6/1991	Robbins	248/221.12
D320,335 S	10/1991	Bengtson	
D325,425 S	4/1992	Bengtson	
D325,622 S	4/1992	Bengtson	
D325,772 S	4/1992	Carr	
D338,149 S	8/1993	Adams	
D348,509 S	7/1994	Bollenbacher	
D349,208 S	8/1994	Bollenbacher	
D356,485 S	3/1995	Off	
D357,838 S	5/1995	Lehn et al.	
D361,495 S	8/1995	Warshawsky	
D362,361 S *	9/1995	Lehn et al.	D6/523
D390,397 S	2/1998	Chen	
D392,139 S *	3/1998	Wu	D6/549
D407,143 S	3/1999	Hyde et al.	
D418,205 S	12/1999	Hyde et al.	
6,345,643 B1	2/2002	Ko	

(Continued)

Primary Examiner — Paula Greene

(74) *Attorney, Agent, or Firm* — Calfee, Halter & Griswold LLP

(57) **CLAIM**

The ornamental design for a handle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a handle of the new design; FIG. 2 is a front elevational view of the handle of the new design;


FIG. 3 is a rear elevational view of the handle of the new design;

FIG. 4 is a left side elevational view of the handle of the new design, the right side elevational view being a mirror image thereof; and,

FIG. 5 is a top plan view of the handle of the new design, the bottom plan view being a mirror image thereof.

The portions of the Figures shown in broken lines are not part of the claimed design and are for illustration only.

1 Claim, 3 Drawing Sheets



US D664,021 S

Page 2

U.S. PATENT DOCUMENTS

D470,742 S *	2/2003	Fields	D8/316	D557,049 S	12/2007	Sedwick et al.	
D475,767 S	6/2003	Yegyayan et al.		D563,196 S *	3/2008	Ricereto	D8/315
D478,446 S *	8/2003	Solowiej	D6/549	D564,334 S	3/2008	Lee	
D484,720 S	1/2004	Moore		D569,010 S *	5/2008	Strand et al.	D25/113
D523,121 S	6/2006	Schaffeld et al.		D575,136 S	8/2008	Hoernig	
D524,918 S	7/2006	Barry		D603,938 S	11/2009	Schoenherr et al.	
D531,273 S	10/2006	Tsai		D605,935 S	12/2009	Zeyfang	
D542,118 S *	5/2007	Fields	D8/317	D611,797 S *	3/2010	Koskela	D8/316

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5