

US00D664086S

(12) **United States Design Patent**
Chin-Ho Kim et al.(10) **Patent No.:** **US D664,086 S**
(45) **Date of Patent:** ** Jul. 24, 2012(54) **DUAL ELECTRIC VEHICLE CHARGING STATION**(75) Inventors: **Darren Chin-Ho Kim**, Oakland, CA (US); **David Baxter**, Monte Sereno, CA (US); **Craig T. Matsuno**, San Jose, CA (US); **Price Terzis**, Los Altos Hills, CA (US); **Peter H. Muller**, Woodside, CA (US)(73) Assignee: **Coulomb Technologies, Inc.**, Campbell, CA (US)(**) Term: **14 Years**(21) Appl. No.: **29/397,168**(22) Filed: **Jul. 12, 2011**(51) **LOC (9) Cl.** **13-02**(52) **U.S. Cl.** **D13/107**(58) **Field of Classification Search** D13/106–110, D13/118–119, 184, 199; D15/9; 320/103–115
See application file for complete search history.(56) **References Cited**

U.S. PATENT DOCUMENTS

3,418,552 A	12/1968	Holmes
D237,718 S	11/1975	Bozich
4,158,102 A	6/1979	Bright
D270,831 S	10/1983	Jensen
D290,599 S	6/1987	Wyatt
D299,821 S	2/1989	Dively
D314,182 S	1/1991	Moerman
D354,739 S	1/1995	Durham et al.
5,461,299 A	10/1995	Bruni
D371,111 S *	6/1996	Jones et al. D13/139.5
D434,001 S	11/2000	Sayger
D517,011 S	3/2006	Burke
D534,869 S	1/2007	Stekelenburg
D597,937 S	8/2009	Haw et al.
D608,731 S *	1/2010	Amit D13/107

(Continued)

FOREIGN PATENT DOCUMENTS

CH 133540 2/2007

OTHER PUBLICATIONS

Elektrobay Technical Specifications, Elektromotive Ltd., The Sussex Innovation Centre, United Kingdom, 2008, 1 page.

Primary Examiner — Rosemary K Tarca

(74) Attorney, Agent, or Firm — Blakely, Sokoloff, Taylor & Zafman LLP

(57) **CLAIM**

The ornamental design for a dual electric vehicle charging station, as shown and described.

DESCRIPTION

FIG. 1 shows a perspective view of a dual electric vehicle charging station;

FIG. 2 shows a front view of the dual electric vehicle charging station of FIG. 1;

FIG. 3 shows a back view of the dual electric vehicle charging station of FIG. 1;

FIG. 4 shows a left view of the dual electric vehicle charging station of FIG. 1;


FIG. 5 shows a right view of the dual electric vehicle charging station of FIG. 1;

FIG. 6 shows a top view of the dual electric vehicle charging station of FIG. 1;

FIG. 7 shows a bottom view of the dual electric vehicle charging station of FIG. 1; and,

FIG. 8 shows a detailed view of the body of the dual electric vehicle charging station of FIG. 1.

The broken lines illustrate environmental structure and form no part of the claimed design.

1 Claim, 7 Drawing Sheets

US D664,086 S

Page 2

U.S. PATENT DOCUMENTS

D613,683 S * 4/2010 Baxter et al. D13/107
D618,168 S * 6/2010 Baxter et al. D13/107
D626,064 S * 10/2010 Cutter et al. D13/107
D626,065 S * 10/2010 Cutter et al. D13/107
D628,960 S * 12/2010 Shimizu et al. D13/107

D629,747 S * 12/2010 Rajakaruna D13/107
2010/0013433 A1 * 1/2010 Baxter et al. 320/109
2010/0320966 A1 * 12/2010 Baxter et al. 320/109
2011/0145141 A1 * 6/2011 Blain 705/39
2011/0174875 A1 * 7/2011 Wurzer 235/380

* cited by examiner





FIG. 1

FIG. 2






FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8