

US00D664189S

(12) **United States Design Patent**  
**Van Den Broecke et al.**

(10) **Patent No.:** **US D664,189 S**  
(45) **Date of Patent:** **\*\* Jul. 24, 2012**

(54) **PRINTER**

(75) Inventors: **Stefaan Van Den Broecke**, Ghent (BE);  
**Todd James Huthmaker**, Alpharetta,  
GA (US); **Koen Elsen**, Zichem (BE);  
**Philip Madden**, Brasschaat (BE); **Yves**  
**Peeters**, Langdorp (BE)

(73) Assignee: **DYMO**, Sint-Niklaas (BE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/397,745**

(22) Filed: **Jul. 20, 2011**

(30) **Foreign Application Priority Data**

Jan. 20, 2011 (EM) ..... 001256168-0001

(51) **LOC (9) Cl.** ..... **18-99**

(52) **U.S. Cl.** ..... **D18/14**

(58) **Field of Classification Search** ..... D18/14-21,  
D18/6-7, 50, 52; D19/68; D14/347, 426;  
358/1.1, 1.6, 1.8; 101/111, 288; 156/DIG. 48  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,696,591 A	9/1987	Boyden	
D312,622 S	12/1990	Alden et al.	
D325,574 S	4/1992	Carver	
D360,890 S	8/1995	Tremlett	
D363,082 S	10/1995	Watanabe et al.	
D414,172 S	9/1999	Hetfield et al.	
D429,226 S *	8/2000	Siddoway et al.	D14/347
D444,494 S	7/2001	Shimoki et al.	
D462,357 S *	9/2002	Jenkins	D14/426
D463,425 S	9/2002	Jenkins	
D467,918 S	12/2002	Fitch et al.	

6,491,460 B1	12/2002	Sodeyama et al.
D477,598 S	7/2003	Mathiowetz et al.
D477,629 S	7/2003	Hattori et al.
D485,838 S	1/2004	Wilson et al.
D490,842 S	6/2004	Kamiya et al.
D491,977 S	6/2004	Shimoki
D496,683 S	9/2004	Matsumoto et al.
D525,648 S	7/2006	Hattori
D526,004 S	8/2006	Obenshain et al.

(Continued)

**OTHER PUBLICATIONS**

Thomas & Betts, EZCODE® Professional Labeling System,  
EZL500 Thermal Label Printer brochure, published more than 1-year  
before Oct. 8, 2010.

(Continued)

*Primary Examiner* — Bridget L Eland

(74) *Attorney, Agent, or Firm* — Marshall, Gerstein & Borun  
LLP

(57) **CLAIM**


The ornamental design for a printer, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view showing our new design for a printer;  
FIG. 2 is a right side view of the printer of FIG. 1;  
FIG. 3 is a back view of the printer of FIG. 1;  
FIG. 4 is a left side view of the printer of FIG. 1;  
FIG. 5 is a bottom plan view of the printer of FIG. 1;  
FIG. 6 is a top plan view of the printer of FIG. 1; and,  
FIG. 7 is a front and right side perspective view of the printer  
of FIG. 1.

The wire frame lines are intended to indicate surface contour  
and are not intended to be surface ornamentation.

**1 Claim, 7 Drawing Sheets**



# US D664,189 S

Page 2

---

## U.S. PATENT DOCUMENTS

D536,365 S \* 2/2007 Ono et al. .... D18/7  
D552,606 S 10/2007 Swanson et al.  
D552,668 S 10/2007 Hattori  
7,284,920 B2 10/2007 Waldal  
D557,696 S 12/2007 Conti et al.  
D566,753 S 4/2008 Suzuki et al.  
D567,281 S 4/2008 Hattori  
D579,018 S 10/2008 Su et al.  
D586,845 S 2/2009 Pradere et al.  
D595,290 S 6/2009 Takemasa  
D598,485 S \* 8/2009 Miyahara et al. .... D18/7  
D598,486 S \* 8/2009 Miyahara et al. .... D18/7  
D601,182 S 9/2009 Mita et al.  
D601,619 S 10/2009 Hattori

D601,620 S 10/2009 Mase et al.  
D611,943 S 3/2010 Boyd  
D614,626 S 4/2010 Dai et al.  
D619,638 S \* 7/2010 McConnell et al. .... D18/14  
D631,908 S 2/2011 Thaler et al.  
D631,909 S 2/2011 Blanc et al.  
D632,329 S 2/2011 Thaler et al.  
8,092,104 B2 \* 1/2012 Buzuev et al. .... 400/76

## OTHER PUBLICATIONS

Van Den Broecke et al., U.S. Appl. No. 29/376,623, "Printer", filed  
Jul. 20, 2011.

\* cited by examiner





FIG. 1





**FIG. 2**







FIG. 3



**FIG. 4**




**FIG. 5**



**FIG. 6**





**FIG. 7**