

US00D664195S

(12) **United States Design Patent**
Rosenthal et al.

(10) **Patent No.:** **US D664,195 S**
(45) **Date of Patent:** **** Jul. 24, 2012**

(54) **FOLDABLE MAILER HAVING A CHECK COMPONENT AND AN ADDRESS CORRECTION COMPONENT**

(75) Inventors: **Daniel Rosenthal**, Ross, CA (US);
Gerard Mullins, Hermosa Beach, CA (US); **Benito Aguilar**, N Oswego, IL (US)

(73) Assignee: **Kurtzman Carson Consultants, LLC**,
Novato, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/405,525**

(22) Filed: **Nov. 3, 2011**

(51) **LOC (9) Cl.** **19-01**

(52) **U.S. Cl.** **D19/3; D19/1**

(58) **Field of Classification Search** D19/1-12,
D19/20-34; 206/449, 232, 495.5, 494;
40/124.01-124.15, 672, 776, 726; 229/72,
229/92, 92.1, 300-303, 87.06, 87.08, 87.14;
281/2-5, 16, 22, 51; 705/3; 283/2-3, 115,
283/900, 74-75, 103, 105-106; 428/42.3;
D9/703, 707, 709, 713, 424, 720, 414, 418,
D9/416; 426/106; 222/92, 107; 383/127,
383/106-108, 901, 200, 203, 207, 210; D20/10,
D20/22, 27, 40, 42, 11; D3/303, 203.1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,264,795	A	4/1918	Hill	
1,946,751	A	2/1934	McCarthy	
D125,147	S	2/1941	Bernhardt	
3,126,211	A	3/1964	Hieken	
4,227,720	A	10/1980	Mowry, Jr. et al.	
D322,627	S	* 12/1991	Sisilli D19/1

5,085,470	A	2/1992	Peach et al.	
5,566,981	A	10/1996	Alcordo	
D376,386	S	* 12/1996	Sisilli D19/1
5,622,388	A	4/1997	Alcordo	
5,636,874	A	6/1997	Singer	
5,667,134	A	9/1997	Olson et al.	
5,695,220	A	12/1997	Phillips	
5,924,737	A	7/1999	Schrupp	
D496,405	S	* 9/2004	Stewart et al. D20/27
D521,565	S	* 5/2006	Stewart et al. D20/27
D536,375	S	2/2007	Potter et al.	
D577,765	S	9/2008	Taute	
7,530,488	B2	5/2009	Salerno et al.	
D602,167	S	* 10/2009	Coyne et al. D24/231

* cited by examiner

Primary Examiner — Caron D Veynar

Assistant Examiner — Abraham Bahta

(74) *Attorney, Agent, or Firm* — Harness, Dickey & Pierce, P.L.C.

(57) **CLAIM**

The ornamental design for a foldable mailer having a check component and an address correction component, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a foldable mailer having a check component and an address correction component, the mailer shown in unfolded condition;


FIG. 2 is a back perspective view thereof;

FIG. 3 is front perspective view of the foldable mailer having the check component and the address correction component, the mailer shown in a folded condition; and,

FIG. 4 is a back perspective view thereof.

The broken lines represent physical perforations in the mailer. The portions of the disclosure shown in broken dash-double-dot lines represent structural environment and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






Fig-1




Fig-2




Fig-3




Fig-4