

US00D664299S

(12) **United States Design Patent**  
**Ishida**

(10) **Patent No.:** **US D664,299 S**

(45) **Date of Patent:** **\*\* Jul. 24, 2012**

(54) **HAND DRYER**

(75) Inventor: **Kenji Ishida**, Tokyo (JP)

(73) Assignee: **Mitsubishi Electric Corporation**,  
Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/409,731**

(22) Filed: **Dec. 28, 2011**

(30) **Foreign Application Priority Data**

Jun. 29, 2011 (JP) ..... 2011-014748

(51) **LOC (9) Cl.** ..... **28-03**

(52) **U.S. Cl.** ..... **D28/54.1**

(58) **Field of Classification Search** ..... D28/12,  
D28/54.1, 58; 34/266, 201, 202; 392/381,  
392/380; D23/357, 361, 385

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D483,152 S *	12/2003	Martinuzzo et al. ....	D28/54.1
D533,305 S *	12/2006	Takahashi et al. ....	D28/54.1
D548,399 S *	8/2007	Nikaido et al. ....	D28/54.1
D599,059 S *	8/2009	Clerch .....	D28/54.1
D637,350 S *	5/2011	Kato et al. ....	D28/54.1

\* cited by examiner

*Primary Examiner* — Zenia Bennett

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

(57) **CLAIM**

The ornamental design for a hand dryer, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of front, right and top plan side of a hand dryer showing my new design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a right side view thereof, a left side view is a mirror image thereof;  
FIG. 5 is a top plan view thereof;  
FIG. 6 is a bottom view thereof; and,  
FIG. 7 is a cross sectional end view of cutting part at 7-7 in FIG. 2 omitting the interior mechanism.

**1 Claim, 6 Drawing Sheets**




Fig. 1





Fig. 2

7 ←



7 ←

Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

