

US00D664377S

(12) **United States Design Patent**
Pennacchio

(10) **Patent No.:** **US D664,377 S**
(45) **Date of Patent:** **** Jul. 31, 2012**

(54) **ADJUSTABLE SHELF INSERT FOR AN OPEN LOCKER**

(76) Inventor: **Anthony Pennacchio**, Dorchester, MA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/368,631**

(22) Filed: **Aug. 26, 2010**

(51) **LOC (9) Cl.** **06-06**

(52) **U.S. Cl.** **D6/479**

(58) **Field of Classification Search** D6/396,
D6/449, 461, 464–465, 473–474, 477–479;
D34/12–14; 108/59, 91–93, 96, 106–107,
108/144.11, 147.11; 211/42–43, 134, 187–188,
211/153

See application file for complete search history.

6,648,155	B1 *	11/2003	Wang	211/187
D484,670	S *	12/2003	Robinson	D99/35
D485,454	S *	1/2004	De Blois	D6/479
6,732,659	B2 *	5/2004	Poon	108/42
D492,860	S *	7/2004	Bertoncini	D6/470
6,814,418	B2	11/2004	D'Orso		
D530,118	S *	10/2006	Del Castillo et al.	D6/479
D561,492	S *	2/2008	Mehmen	D6/477
D609,501	S *	2/2010	Sexton	D6/479
7,673,761	B2 *	3/2010	Lee et al.	211/183
D617,581	S *	6/2010	Bauchet	D6/479
7,967,156	B2 *	6/2011	Hsu	211/187
8,033,405	B2 *	10/2011	Wang	211/118
8,123,315	B2 *	2/2012	Hagele et al.	312/408
D655,948	S *	3/2012	Dardashti et al.	D6/478

* cited by examiner

Primary Examiner — Kelley Donnelly

(57) **CLAIM**

The ornamental design for an adjustable shelf insert for an open locker, as shown and described.

(56) **References Cited**


U.S. PATENT DOCUMENTS

3,184,273	A	5/1965	Blough		
D234,894	S *	4/1975	Vandenbouck	D6/479
4,270,816	A *	6/1981	Erickson et al.	312/3
4,382,640	A *	5/1983	Kashden	312/5
4,500,146	A	2/1985	Peterson		
4,818,044	A	4/1989	Dobry		
5,474,192	A	12/1995	Hartzell		
D365,709	S *	1/1996	Leveen et al.	D6/474
D368,814	S *	4/1996	Riback et al.	D6/477
D389,345	S *	1/1998	Grosfillex	D6/478
D389,657	S *	1/1998	Sigal et al.	D6/473
D410,807	S *	6/1999	Fear et al.	D6/492
D426,987	S *	6/2000	Lewis	D6/479
D440,078	S *	4/2001	Carrabba	D6/478
D440,079	S *	4/2001	Wohlford	D6/479
D477,933	S	8/2003	Wood et al.		

DESCRIPTION

FIG. 1 is a perspective view of an adjustable shelf insert for an open locker showing my new design; FIG. 2 is a front view thereof shown in an exploded position, the opposite side being a mirror image; FIG. 3 is a side view thereof shown in an exploded position, the opposite side being a mirror image; and, FIG. 4 is a top view thereof shown in an exploded position, the opposite side being a mirror image. In FIG. 1, the broken lines showing of environmental structure for purposes of illustrating the adjustable shelf insert for an open locker in a condition of use. The broken lines and the structure they depict form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3

FIG. 4

