



US00D664417S

(12) **United States Design Patent**
Still

(10) **Patent No.:** **US D664,417 S**
(45) **Date of Patent:** **** Jul. 31, 2012**

- (54) **CUTTER**
- (75) Inventor: **David Lee Still**, Bedford, NH (US)
- (73) Assignee: **Diamond Resource, LLC**, Goffstown, NH (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/399,690**
- (22) Filed: **Aug. 17, 2011**

D323,967	S	*	2/1992	Talbot	D8/98
5,282,316	A	*	2/1994	Anderson	30/294
D377,595	S	*	1/1997	Wiezenhal	D8/98
5,720,105	A	*	2/1998	Gates	30/353
D401,492	S	*	11/1998	Joseph, Jr.	D8/98
5,890,290	A	*	4/1999	Davis	30/2
6,513,249	B2	*	2/2003	Linton et al.	30/286
D474,668	S	*	5/2003	McDonald et al.	D8/98
6,598,301	B2	*	7/2003	McCool et al.	30/321
6,895,674	B2	*	5/2005	Ai	30/353

(Continued)

Related U.S. Application Data

- (63) Continuation-in-part of application No. 29/386,919, filed on Mar. 7, 2011.
- (51) **LOC (9) Cl.** **08-03**
- (52) **U.S. Cl.** **D8/98**
- (58) **Field of Classification Search** D8/20,
D8/98-99, 102, 105, 107; 30/2, 286-287,
30/294, 314, 317, 337, 353
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

79,700	A	*	7/1868	Stark	30/317
694,814	A	*	3/1902	Zwicker	30/317
838,852	A	*	12/1906	Eckley	30/287
847,321	A	*	3/1907	Date et al.	30/317
928,018	A	*	7/1909	Barnard	30/317
1,137,445	A	*	4/1915	Allais	30/317
1,516,789	A	*	11/1924	Rassner	30/314
1,546,975	A	*	7/1925	Feller	30/286
1,997,992	A	*	4/1935	Bates, Jr.	30/317
2,078,750	A	*	4/1937	Bernesser	81/3.42
2,471,334	A	*	5/1949	Levin	30/287
4,117,593	A	*	10/1978	Piligrino	30/314
4,283,854	A	*	8/1981	Austin	30/314
D305,499	S	*	1/1990	Walker	D8/98
D320,150	S	*	9/1991	Huang	D8/98

OTHER PUBLICATIONS

Diamond Pro 2 Safety Knife. Downloaded Mar. 22, 2012 at www.diamondresource.net.*

Primary Examiner — Philip S Hyder

Assistant Examiner — Roselynn Cody

(74) *Attorney, Agent, or Firm* — Bourque and Associates, PA


CLAIM

(57) The ornamental design for a cutter, as shown.

DESCRIPTION

FIG. 1 is a front perspective view of the cutter according to the present invention;
 FIG. 2 is a front view of the cutter of the present invention;
 FIG. 3 is a back view of the cutter of the present invention;
 FIG. 4 is a left side view of the cutter of the present invention as shown in FIG. 2;
 FIG. 5 is a right side view of the cutter of the present invention as shown in FIG. 2;
 FIG. 6 is a left end view of the cutter of the present invention as shown in FIG. 2; and,
 FIG. 7 is a right end view of the cutter of the present invention as shown in FIG. 2.

1 Claim, 4 Drawing Sheets



US D664,417 S

Page 2

U.S. PATENT DOCUMENTS

D508,390	S	*	8/2005	Trbovich, Jr.	D8/98	D649,001	S	*	11/2011	Still	D8/105
D521,844	S	*	5/2006	Kempker et al.	D8/98	2002/0194734	A1	*	12/2002	Huang	30/2
D527,604	S	*	9/2006	Kempker et al.	D8/98	2006/0242843	A1	*	11/2006	Schoenberg	30/314
7,367,876	B1	*	5/2008	Denoff	452/2	2007/0283576	A1	*	12/2007	Saiz	30/294
D605,005	S	*	12/2009	Benson	D8/20	2010/0263219	A1	*	10/2010	Kempker et al.	30/337
D621,678	S	*	8/2010	Huang	D8/104	2010/0293796	A1	*	11/2010	Votolato	30/287
D636,248	S	*	4/2011	Still	D8/98	2011/0265333	A1	*	11/2011	Covey	30/353

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5



FIG. 7



FIG. 6