

US00D664611S

(12) **United States Design Patent**  
**Pinskiy et al.**

(10) **Patent No.:** **US D664,611 S**  
(45) **Date of Patent:** **\*\* Jul. 31, 2012**

(54) **PORTABLE STRETCHING EXERCISE DEVICE**

(76) Inventors: **Dmitriy V. Pinskiy**, Encino, CA (US);  
**Lina E. Pinskaya**, Encino, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/374,899**

(22) Filed: **Oct. 21, 2011**

(51) **LOC (9) Cl.** ..... **21-02**

(52) **U.S. Cl.** ..... **D21/662**

(58) **Field of Classification Search** ..... D21/662,  
D21/672, 679, 692, 694, 698; D30/153,  
D30/160; D29/120.1, 120.2, 122; D24/190-192,  
D24/199; 482/55, 57, 83, 91, 92, 121-124,  
482/131; 119/792, 795

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D270,674 S	9/1983	Erdmann	
4,456,249 A	6/1984	Calabrese	
4,588,186 A	5/1986	Calabrese	
4,787,340 A	11/1988	Kirtley	
4,815,731 A *	3/1989	Suarez et al.	482/124
D337,395 S	7/1993	Erlinger	
5,263,916 A	11/1993	Bobich	
5,344,373 A *	9/1994	Greene	482/55
D353,172 S *	12/1994	Gaut	D21/692
D354,158 S	1/1995	Trudeau	
5,433,688 A *	7/1995	Davies	482/124
5,653,668 A *	8/1997	Wilkinson	482/124
5,704,856 A *	1/1998	Morse	473/422
D396,077 S *	7/1998	Heine	D21/662
5,807,218 A *	9/1998	Nagatomo	
5,836,857 A *	11/1998	Jennings	482/92
6,036,625 A *	3/2000	Woodruff	482/121
7,175,574 B2	2/2007	Carmel	
7,223,212 B2	5/2007	DiOrio	
D590,038 S *	4/2009	Jarosik et al.	D21/780
D606,602 S *	12/2009	Marotta	D21/698
7,955,236 B2	6/2011	DiGiovanni	
2004/0204302 A1	10/2004	Flynn	
2005/0085350 A1 *	4/2005	Shen	482/91
2007/0173382 A1	7/2007	Axelrod	

2007/0265145 A1	11/2007	Teng	
2008/0116239 A1	5/2008	Lu	
2010/0016132 A1	1/2010	Flynn	
2010/0292055 A1 *	11/2010	Andrich	482/122

\* cited by examiner

*Primary Examiner* — Susan E Krakower

(74) *Attorney, Agent, or Firm* — Thomas I. Rozsa

(57) **CLAIM**

The ornamental design for a portable stretching exercise device, as shown and described.

**DESCRIPTION**

FIG. 1 is a top and side perspective view of a first embodiment of a portable stretching exercise device showing our new design.

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a front view thereof;

FIG. 5 is a rear view thereof;

FIG. 6 is a right side view thereof;

FIG. 7 is a left side view thereof;

FIG. 8 is a perspective view thereof with the cuff in the opened condition and viewed partially from the outside of the cuff and viewed partially from the inside of the cuff.

FIG. 9 is a top and side perspective view of a second embodiment of a portable stretching exercise device showing our new design.

FIG. 10 is a top plan view thereof;

FIG. 11 is a bottom plan view thereof;

FIG. 12 is a front view thereof;

FIG. 13 is a rear view thereof; and,


FIG. 14 is a perspective view thereof with the cuff in the opened condition and viewed partially from the outside of the cuff and viewed partially from the inside of the cuff.

The right side view of the second embodiment is the same as the right side view of the first embodiment of the present invention.

The left side view of the second embodiment is the same as the left side view of the first embodiment of the present invention.

The strap is shown broken away to indicate it has no specific length.

**1 Claim, 9 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8






FIG. 9








FIG. 12




FIG. 13




FIG. 14