

US00D664647S

(12) **United States Design Patent**
Becker

(10) **Patent No.:** **US D664,647 S**
(45) **Date of Patent:** **** Jul. 31, 2012**

(54) **RESECTOSCOPE SHEATH**

(75) Inventor: **Wolfram Becker**, Laer (DE)

(73) Assignee: **Karl Storz GmbH & Co. KG** (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/394,986**

(22) Filed: **Jun. 23, 2011**

(30) **Foreign Application Priority Data**

Dec. 23, 2010 (EM) 001798331-0017

(51) **LOC (9) Cl.** **24-02**

(52) **U.S. Cl.** **D24/133; D24/137; D24/138**

(58) **Field of Classification Search** D24/133,
D24/137, 138, 146, 147; 600/105, 119, 121;
606/46

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,726,370 A * 2/1988 Karasawa et al. 606/46
5,947,990 A * 9/1999 Smith 606/180
D434,148 S * 11/2000 Sauer et al. D24/146
D559,980 S * 1/2008 Rehbein et al. D24/133
D570,479 S * 6/2008 Rehbein et al. D24/133
D570,480 S * 6/2008 Rehbein et al. D24/133
D570,481 S * 6/2008 Rehbein et al. D24/133
D571,007 S * 6/2008 Rehbein et al. D24/133
D637,290 S * 5/2011 Schwoy D24/146

D639,943 S * 6/2011 Bettocchi D24/137
2003/0130648 A1 * 7/2003 Jensen et al. 606/1
2004/0064139 A1 * 4/2004 Yossepowitch 606/46
2011/0118544 A1 * 5/2011 Adams et al. 600/104

OTHER PUBLICATIONS

Storz—Die Welt Der Endoskopie—Urologie; p. 42—Resektoskopschäfte; p. 44—Resektoskopschäfte mit Feststehendem Innenschaft, and p. 45—Resektoskopschäfte mit Drehbarem Innenschaft; 2008 (4 pages total).

* cited by examiner

Primary Examiner — Bridget L Eland

(74) *Attorney, Agent, or Firm* — St. Onge Steward Johnston & Reens LLC



(57) **CLAIM**

The ornamental design for a resectoscope sheath, as shown and described.

DESCRIPTION

FIG. 1 is a top right side perspective view of a resectoscope sheath in accordance with the new design; FIG. 2 is a right side isometric view thereof; FIG. 3 is a left side isometric view thereof; FIG. 4 is a top isometric view thereof; FIG. 5 is a bottom isometric view thereof; and, FIG. 6 is a front isometric view thereof. The broken lines adjacent the shaded areas in FIGS. 1-6 represent the bounds of the claimed design and form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1





FIG. 2






FIG. 4




FIG. 5




FIG. 6

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D664,647 S
APPLICATION NO. : 29/394986
DATED : July 31, 2012
INVENTOR(S) : Wolfram Becker

Page 1 of 8

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The title page should be deleted and substitute therefor the attached title page.

Drawings:

Delete drawing sheets 1-6 and substitute therefor the drawing sheets consisting of Figs. 1-6 as shown on the attached pages.

Signed and Sealed this
Sixth Day of November, 2012

A handwritten signature in black ink, reading "David J. Kappos". The signature is written in a cursive, flowing style with a large initial 'D' and 'K'.

David J. Kappos
Director of the United States Patent and Trademark Office

(12) **United States Design Patent**
Becker

(10) **Patent No.:** **US D664,647 S**

(45) **Date of Patent:** **** Jul. 31, 2012**

(54) **RESECTOSCOPE SHEATH**

(75) **Inventor:** **Wolfram Becker, Laer (DE)**

(73) **Assignee:** **Karl Storz GmbH & Co. KG (DE)**

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/394,986**

(22) **Filed:** **Jun. 23, 2011**

(30) **Foreign Application Priority Data**

Dec. 23, 2010 (EM) 001798331-0017

(51) **LOC (9) Cl.** **24-02**

(52) **U.S. Cl.** **D24/133; D24/137; D24/138**

(58) **Field of Classification Search** **D24/133, D24/137, 138, 146, 147; 600/105, 119, 121; 606/46**

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,726,370	A *	2/1988	Karasawa et al.	606/46
5,947,990	A *	9/1999	Smith	606/180
D434,148	S *	11/2000	Sauter et al.	D24/146
D559,980	S *	1/2008	Rehbein et al.	D24/133
D570,479	S *	6/2008	Rehbein et al.	D24/133
D570,480	S *	6/2008	Rehbein et al.	D24/133
D570,481	S *	6/2008	Rehbein et al.	D24/133
D571,007	S *	6/2008	Rehbein et al.	D24/133
D637,290	S *	5/2011	Schwoy	D24/146

D639,943	S *	6/2011	Bertocchi	D24/137
2003/0130648	A1 *	7/2003	Jensen et al.	606/1
2004/0064139	A1 *	4/2004	Yossepowitch	606/46
2011/0118544	A1 *	5/2011	Adams et al.	600/104

OTHER PUBLICATIONS

Storz—Die Welt Der Endoskopie Urologie: p. 42—Resektoskopschäfte; p. 44—Resektoskopschäfte mit feststehendem Innenschaft, and p. 45—Resektoskopschäfte mit drehbarem Innenschaft; 2008 (4 pages total).

* cited by examiner

Primary Examiner — Bridget L Eland

(74) *Attorney, Agent, or Firm* — St. Onge Steward Johnston & Reens LLC



(57) **CLAIM**


The ornamental design for a resectoscope sheath, as shown and described.


DESCRIPTION

FIG. 1 is a top right side perspective view of a resectoscope sheath in accordance with the new design; FIG. 2 is a right side isometric view thereof; FIG. 3 is a left side isometric view thereof; FIG. 4 is a top isometric view thereof; FIG. 5 is a bottom isometric view thereof; and, FIG. 6 is a front isometric view thereof. The broken lines adjacent the shaded areas in FIGS. 1-6 represent the bounds of the claimed design and form no part of the claimed design.

1 Claim, 6 Drawing Sheets











FIG. 3

U.S. Patent

Jul. 31, 2012

Sheet 4 of 6

D664,647 S




U.S. Patent

Jul. 31, 2012

Sheet 5 of 6

D664,647 S



U.S. Patent

Jul. 31, 2012

Sheet 6 of 6

D664,647 S




FIG. 6