



US00D665089S

(12) **United States Design Patent**
Brown

(10) **Patent No.:** **US D665,089 S**

(45) **Date of Patent:** **** Aug. 7, 2012**

(54) **SPHERICAL SECTION FINGER BRACE**

(76) Inventor: **Charles L. Brown**, Prior Lake, MN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/398,081**

(22) Filed: **Jul. 26, 2011**

(51) **LOC (9) Cl.** **24-01**

(52) **U.S. Cl.** **D24/190**

(58) **Field of Classification Search** D24/189,
D24/190, 192, 200; D21/662, 683, 684,
D21/694, 775; D29/100, 113, 120.1, 121.1;
602/22, 30; 482/47, 49, 50, 148; 2/16, 19,
2/20, 21, 22, 24, 51

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

911,823	A *	2/1909	Krieger	294/25
1,301,560	A *	4/1919	Hill	482/47
1,667,926	A	5/1928	Browsky	
2,178,019	A *	10/1939	Knuteson	30/169
2,573,715	A	11/1951	Kelly	
2,994,530	A *	8/1961	Cohan	482/49
D192,927	S *	5/1962	Ernst	D21/684
3,265,389	A *	8/1966	Carlson	482/49
D228,004	S *	7/1973	Riccio	D21/684
D275,219	S *	8/1984	Scales, Jr.	D29/120.1
4,754,499	A *	7/1988	Pirie	2/20
D304,748	S *	11/1989	Bowers	D21/684
5,076,569	A *	12/1991	Gootter	482/49
5,081,715	A	1/1992	Mascia	
D328,159	S *	7/1992	Donzis	D29/100
D334,085	S *	3/1993	Niemann	D29/113
D348,090	S *	6/1994	Riley, Jr.	D21/684
D351,255	S *	10/1994	Pytlewski	D29/121.1
D351,257	S *	10/1994	Roberts et al.	D29/113

5,652,955	A	8/1997	Skewis	
D395,686	S *	6/1998	Eckmann	D21/684
D399,608	S	10/1998	Below et al.	
D465,617	S *	11/2002	DeLaup	D29/113
6,482,168	B1 *	11/2002	Betcher	602/21
6,561,995	B1 *	5/2003	Thibodo, Jr.	602/22
D482,824	S *	11/2003	Robinson	D29/113
D546,954	S	7/2007	Takasaka	
D583,103	S	12/2008	Holden	
D655,049	S *	2/2012	Hepper	D29/113
2003/0119632	A1	6/2003	Archuleta	

FOREIGN PATENT DOCUMENTS

WO WO 94/01066 1/1994

* cited by examiner

Primary Examiner — Susan E Krakower

(74) *Attorney, Agent, or Firm* — Gerald E. Helget; Briggs and Morgan, P.A.

(57) **CLAIM**



The ornamental design for a spherical section finger brace, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing my new design for a spherical section finger brace shown in condition of use; FIG. 2 is a bottom plan view; FIG. 3 is a front elevational view; FIG. 4 is a top plan view; FIG. 5 is a left side elevational view which is a mirror image of the right side; FIG. 6 is a rear elevational view; FIG. 7 is a bottom perspective view; and, FIG. 8 is a top perspective view.

The broken lines showing a hand and straps illustrate environmental structure and form no part of the claimed design.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8