



US00D665508S

(12) **United States Design Patent**
Dow

(10) **Patent No.:** **US D665,508 S**
(45) **Date of Patent:** **** Aug. 14, 2012**

(54) **THERMAL WRAP**

(76) Inventor: **Rebecca A. Dow**, Memphis, TN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/371,753**

(22) Filed: **Aug. 31, 2011**

(51) **LOC (9) Cl.** **24-04**

(52) **U.S. Cl.** **D24/206**

(58) **Field of Classification Search** D24/206–208,
D24/189–192, 118; 602/1–7, 17–27, 61–66,
602/74; 128/95.1, 96.1, 97.1, 100.1, 101.1,
128/876; 606/204, 27; 607/96, 108, 109,
607/111, 112; D29/101.2, 101.5, 120.1,
D29/121.1; D3/327; 601/15; 126/204

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D265,422	S	*	7/1982	Howe		D24/207
D290,512	S	*	6/1987	Bagg et al.		D24/207
4,981,135	A	*	1/1991	Hardy		607/108
5,020,536	A	*	6/1991	Keen		607/109
5,020,711	A	*	6/1991	Kelley		D24/206
5,111,810	A	*	5/1992	Fortney		607/108
D329,497	S	*	9/1992	Pryor		D24/206
5,259,831	A	*	11/1993	LeBron		602/7
D382,055	S	*	8/1997	Cassidy et al.		D24/118
5,961,479	A	*	10/1999	Reeves et al.		602/74
6,039,710	A	*	3/2000	Kelley et al.		602/74
D461,903	S	*	8/2002	Garcia		D24/206
6,585,673	B1	*	7/2003	Bass		602/61

* cited by examiner

Primary Examiner — David Muller

(74) *Attorney, Agent, or Firm* — Alfred F. Hoyte, Jr.

(57) **CLAIM**

The ornamental design for a thermal wrap, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the thermal wrap of the invention in the folded configuration.

FIG. 2 is a left side perspective view of the thermal wrap of the invention in the folded configuration.

FIG. 3 is a right side perspective view of the thermal wrap of the invention in the folded configuration.

FIG. 4 is a plan view of the exterior side of the thermal wrap of the invention in the unfolded configuration.

FIG. 5 is a plan view of the interior side of the thermal wrap of the invention in the unfolded configuration.

FIG. 6 is a perspective view of an alternative embodiment of the thermal wrap of the invention in the folded configuration.

FIG. 7 is a left side perspective view of the thermal wrap of FIG. 6 in the folded configuration.

FIG. 8 is a right side perspective view of the thermal wrap of FIG. 6 in the folded configuration.

FIG. 9 is a plan view of the thermal wrap of FIG. 6 in the unfolded configuration; and,


FIG. 10 a plan view of the thermal wrap of FIG. 6 in the unfolded configuration.

The broken lines in FIGS. 1 and 6 illustrate environmental structure and form no part of the claimed design.

The arrows shown in FIGS. 2 and 7 depict the direction of movement of the straps and form no part of the claimed design.

The break lines shown in FIGS. 4, 5, 9, and 10 depict truncation, and form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 3




FIG. 2




FIG. 4




FIG. 5




FIG. 6




FIG. 8




FIG. 7




FIG. 9




FIG. 10