



US00D665650S

(12) **United States Design Patent**
Ogden, Jr.

(10) **Patent No.:** **US D665,650 S**

(45) **Date of Patent:** **** Aug. 21, 2012**

(54) **VEHICLE SECURED TIE ANCHOR**

(76) Inventor: **William J. Ogden, Jr.**, Lake Worth, FL
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/384,997**

(22) Filed: **Feb. 7, 2011**

(51) **LOC (9) Cl.** **08-05**

(52) **U.S. Cl.** **D8/354**

(58) **Field of Classification Search** D8/349,
D8/354, 355, 356, 363, 366, 373, 380, 394;
D12/223; D25/134, 164, 199, 102; 52/514,
52/220.8, 712, 698, 220.1, 370, 634, 696,
52/714; 248/200, 300, 57, 65, 499; 224/314,
224/489, 534, 568; 410/101, 102, 104, 106,
410/110, 116; 24/115 K, 129 R, 129 B, 265 CD
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|------|---------|-----------------|------------|
| 2,164,137 | A * | 6/1939 | London | 52/330 |
| 2,356,309 | A * | 8/1944 | Garbe | 52/481.2 |
| 4,101,591 | A * | 7/1978 | Diamond | 570/128 |
| D355,583 | S * | 2/1995 | Beauchane | D8/356 |
| 5,517,795 | A * | 5/1996 | Doke | 52/36.4 |
| 5,542,367 | A * | 8/1996 | DuBois et al. | 114/218 |
| 5,577,695 | A * | 11/1996 | Ruckwardt | 248/200 |
| 5,676,508 | A * | 10/1997 | Weicht | 410/101 |
| 5,807,045 | A * | 9/1998 | Profit | 410/116 |
| 5,836,060 | A * | 11/1998 | Profit | 24/698.2 |
| 6,000,890 | A * | 12/1999 | Macias | 410/116 |
| 6,030,160 | A * | 2/2000 | Moore | 410/118 |
| 6,113,328 | A * | 9/2000 | Claucherty | 410/106 |
| 6,129,490 | A * | 10/2000 | Erskine et al. | 410/110 |
| 6,170,130 | B1 * | 1/2001 | Hamilton et al. | 24/115 R |
| 6,256,844 | B1 * | 7/2001 | Wheatley | 24/265 CD |
| 6,393,672 | B1 * | 5/2002 | Anscher | 24/265 R |
| 6,547,478 | B1 * | 4/2003 | Lin | 403/339 |
| 6,742,973 | B1 * | 6/2004 | Hendrix et al. | 410/106 |
| 6,769,375 | B1 * | 8/2004 | Caporella | 114/218 |
| 6,769,655 | B2 * | 8/2004 | Beese | 248/188.91 |
| 7,025,012 | B1 * | 4/2006 | Pecharich | 114/218 |

| | | | | |
|--------------|------|---------|-------------------|-----------|
| 7,040,849 | B2 * | 5/2006 | Cunningham et al. | 410/104 |
| D522,849 | S * | 6/2006 | Dick et al. | D8/395 |
| 7,070,374 | B2 * | 7/2006 | Womack et al. | 410/104 |
| 7,175,142 | B2 * | 2/2007 | Brown | 248/213.3 |
| D564,869 | S * | 3/2008 | Peterson | D8/382 |
| 7,421,828 | B2 * | 9/2008 | Reynolds | 52/745.2 |
| 7,549,828 | B2 * | 6/2009 | Smith | 410/106 |
| 7,874,774 | B2 * | 1/2011 | Peterson | 410/104 |
| 7,992,750 | B2 * | 8/2011 | Walker | 224/403 |
| D650,265 | S * | 12/2011 | Wong | D8/383 |
| 2002/0178676 | A1 * | 12/2002 | Yost et al. | 52/426 |
| 2005/0249569 | A1 * | 11/2005 | Smith | 410/102 |
| 2007/0140806 | A1 * | 6/2007 | Mohan | 410/101 |
| 2007/0183860 | A1 * | 8/2007 | Smith | 410/110 |
| 2007/0295872 | A1 * | 12/2007 | Schulze | 248/215 |
| 2008/0085167 | A1 * | 4/2008 | Law | 410/101 |
| 2009/0080995 | A1 * | 3/2009 | Peterson | 410/104 |
| 2010/0064615 | A1 * | 3/2010 | Boese et al. | 52/426 |
| 2010/0068000 | A1 * | 3/2010 | Russell et al. | 410/106 |
| 2010/0143064 | A1 * | 6/2010 | Gomez | 410/110 |
| 2010/0202850 | A1 * | 8/2010 | Parsons | 410/104 |
| 2010/0316460 | A1 * | 12/2010 | Schulze et al. | 410/104 |
| 2011/0027034 | A1 * | 2/2011 | Chamoun | 410/104 |
| 2011/0058914 | A1 * | 3/2011 | Ogden | 410/101 |
| 2011/0129315 | A1 * | 6/2011 | Womack et al. | 410/104 |

* cited by examiner

Primary Examiner — Mark Goodwin

(74) *Attorney, Agent, or Firm* — Daniel S. Polley, P.A.


(57) **CLAIM**

The ornamental design for a vehicle secured tie anchor, as shown and described.

DESCRIPTION

FIG. 1 is a front top perspective view of a vehicle secure tie anchor showing my new design;
FIG. 2 is a front bottom perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a back view thereof;
FIG. 5 is a top view thereof;
FIG. 6 is a bottom view thereof; and,
FIG. 7 is a left side view thereof, the right side view being a mirror image thereof.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7