

US00D665714S

(12) **United States Design Patent**
Foose

(10) **Patent No.:** **US D665,714 S**
(45) **Date of Patent:** **** Aug. 21, 2012**

(54) **SPOKE SEGMENT OF A VEHICLE WHEEL**

(75) Inventor: **Douglas S. Foose**, Huntington Beach,
CA (US)

(73) Assignee: **Hemisfear, LP**, Huntington Beach, CA
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/411,859**

(22) Filed: **Jan. 26, 2012**

(51) **LOC (9) Cl.** **12-16**

(52) **U.S. Cl.** **D12/209**

(58) **Field of Classification Search** D12/204-213;
301/37.101, 64.101, 65, 64.201
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | | |
|----------|---|---|---------|------------|-------|---------|
| D435,006 | S | * | 12/2000 | Brown | | D12/209 |
| D442,535 | S | * | 5/2001 | Lotson | | D12/209 |
| D480,344 | S | * | 10/2003 | Muzzarelli | | D12/209 |
| D515,997 | S | * | 2/2006 | Phillips | | D12/209 |
| D516,000 | S | * | 2/2006 | Ditty | | D12/209 |

| | | | | | | |
|----------|---|---|---------|------------|-------|---------|
| D519,905 | S | * | 5/2006 | Muzzarelli | | D12/209 |
| D530,254 | S | * | 10/2006 | Kim | | D12/209 |
| D574,762 | S | * | 8/2008 | Kim | | D12/209 |
| D638,764 | S | * | 5/2011 | Groom | | D12/209 |

* cited by examiner

Primary Examiner — Stacia Cadmus

(74) *Attorney, Agent, or Firm* — Christie, Parker & Hale,
LLP

(57) **CLAIM**



The ornamental design for spoke segment of a vehicle wheel,
as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a spoke segment of a vehicle
wheel according to my new design; and,
FIG. 2 is a front elevational view thereof.

The broken line showing of the bolt holes and rear of the rim
is included for the purpose of illustrating environment and
forms no part of the claimed design. The broken lines on
either side of the spoke segment are for the purpose of illus-
trating the boundary of the claimed design and form no part
thereof.

1 Claim, 2 Drawing Sheets






FIG. 1

FIG. 2

