

US00D665867S

(12) **United States Design Patent**  
**McPherson**

(10) **Patent No.:** **US D665,867 S**  
(45) **Date of Patent:** **\*\* Aug. 21, 2012**

(54) **ARCHERY BOW AXLE CONNECTOR**

(75) Inventor: **Mathew A. McPherson**, Norwalk, WI  
(US)

(73) Assignee: **MCP IP, LLC**, Sparta, WI (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/396,755**

(22) Filed: **Jul. 6, 2011**

(51) **LOC (9) Cl.** ..... **22-01**

(52) **U.S. Cl.** ..... **D22/107**

(58) **Field of Classification Search** ..... D22/100,  
D22/101, 107, 108, 199; D8/349–350, 396,  
D8/380, 341, 331, 338, 344, 345, 343; 124/23.1,  
124/25.6, 86, 88; D21/572; 16/241, 312,  
16/318, 331, 356, 82, 198

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D42,639	S	*	6/1912	Marshall	.....	D8/350
4,258,464	A	*	3/1981	Ullman, Jr.	.....	29/525.01
4,605,335	A		8/1986	Otrusina		
4,926,833	A		5/1990	Darlington		
4,967,721	A	*	11/1990	Larson	.....	124/25.6
5,146,908	A	*	9/1992	Larson	.....	124/88
5,362,282	A		11/1994	Lickton		
D386,141	S	*	11/1997	Pingel et al.	.....	D12/217
5,697,355	A		12/1997	Schaffer		
6,035,840	A		3/2000	McPherson		
6,360,735	B1	*	3/2002	Larson et al.	.....	124/25.6

6,443,139	B1		9/2002	McPherson		
6,474,324	B1		11/2002	Despart et al.		
6,966,312	B1	*	11/2005	Larson	.....	124/25.6
8,037,876	B1	*	10/2011	Yehle	.....	124/25.6
8,056,548	B1	*	11/2011	Larson	.....	124/89
8,069,848	B1	*	12/2011	Larson	.....	124/25.6
2008/0127956	A1	*	6/2008	Bednar et al.	.....	124/25
2010/0154769	A1	*	6/2010	Grace, Jr.	.....	124/90
2010/0263650	A1	*	10/2010	Dahl et al.	.....	124/25.6
2010/0307471	A1		12/2010	McPherson		

OTHER PUBLICATIONS

U.S. Appl. No. 29/394,998, filed Jun. 23, 2011; Inventor: Mathew A. McPherson.

\* cited by examiner

*Primary Examiner* — Michael A Pratt

(74) *Attorney, Agent, or Firm* — Vidas, Arrett & Steinkraus

(57) **CLAIM**

The ornamental design for an archery bow axle connector, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the archery bow axle connector from an upper angle.

FIG. 2 is a front view of the archery bow axle connector.

FIG. 3 is a back view of the archery bow axle connector.


FIG. 4 is a left side view of the archery bow axle connector.

FIG. 5 is a right side view of the archery bow axle connector.

FIG. 6 is a top plan view of the archery bow axle connector; and,

FIG. 7 is a bottom view of the archery bow axle connector.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 3




FIG. 2




FIG. 4




FIG. 5




FIG. 6




FIG. 7