



US00D666257S

(12) **United States Design Patent**
Seraydarian et al.

(10) **Patent No.:** **US D666,257 S**

(45) **Date of Patent:** **** Aug. 28, 2012**

(54) **EXERCISE APPARATUS**

(76) Inventors: **Grant Seraydarian**, Niagara Falls, NY (US); **Varsenick Seraydarian**, Niagara Falls, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/414,197**

(22) Filed: **Feb. 26, 2012**

(51) **LOC (9) Cl.** **21-02**

(52) **U.S. Cl.** **D21/679; D21/662**

(58) **Field of Classification Search** D21/662, D21/673, 679, 680, 681, 684, 691, 694; 482/45, 482/49, 93, 106, 140–142, 148; D24/211
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,341,196	A *	9/1967	Perretta	482/45
D264,738	S *	6/1982	Cooper	D21/679
D272,649	S *	2/1984	Bloch	D24/211
4,496,147	A	1/1985	DeCloux et al.		
D285,329	S *	8/1986	Boettger, Jr.	D21/684
D287,867	S *	1/1987	Wollersheim	D21/681
5,284,458	A *	2/1994	Perry et al.	482/49
5,316,531	A *	5/1994	Spence	482/93
5,328,431	A *	7/1994	Winslow	482/106
D358,856	S *	5/1995	Boettger, Jr.	D21/684
5,466,206	A	11/1995	Fleming		
D365,861	S *	1/1996	Moss et al.	D21/679
5,716,305	A	2/1998	Selsam		
5,749,818	A	5/1998	Sather		
D395,210	S *	6/1998	Almsig	D7/701
5,839,996	A *	11/1998	Gooding	482/106
6,190,293	B1	2/2001	Schuyler et al.		
D451,564	S *	12/2001	Dean	D21/684
D456,864	S *	5/2002	Dantolan	D21/684
D533,413	S *	12/2006	Wax	D7/701

D544,554	S *	6/2007	Brun	D21/680
D546,402	S *	7/2007	Sonnier	D21/662
D556,841	S *	12/2007	Oates	D21/679
D579,990	S *	11/2008	Dalcourt	D21/680
D610,637	S *	2/2010	Ford	D21/684
D657,830	S *	4/2012	Guarrasi	D21/662
2011/0009250	A1	1/2011	Barringer		

* cited by examiner

Primary Examiner — Susan E Krakower

(74) *Attorney, Agent, or Firm* — Richard L. Miller

(57) **CLAIM**

The ornamental design for an exercise apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an exercise apparatus showing our new design;

FIG. 2 is a front elevational view thereof, taken in the direction of arrow 2 in FIG. 8;

FIG. 3 is a top plan view of view thereof, taken in the direction of arrow 3 in FIG. 8;

FIG. 4 is a bottom plan view of view thereof, taken in the direction of arrow 4 in FIG. 8;


FIG. 5 is a rear elevational view thereof, taken in the direction of arrow 5 in FIG. 8;

FIG. 6 is a left side elevational view thereof, taken in the direction of arrow 6 in FIG. 8;

FIG. 7 is a right side elevational view thereof, taken in the direction of arrow 7 in FIG. 8; and,

FIG. 8 is a view identical to FIG. 1 with directional arrows included, in accordance with good engineering practices, so as to best indicate in what directions previous views are taken so that nothing regarding the design sought to be patented is ambiguous or left to conjecture.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8