



US00D666305S

(12) **United States Design Patent**
Benarieh et al.

(10) **Patent No.:** **US D666,305 S**
(45) **Date of Patent:** **** Aug. 28, 2012**

(54) **APPARATUS FOR DOCKING AND CHARGING ELECTROPHORESIS DEVICES AND PORTABLE ELECTROPHORESIS SYSTEM**

(75) Inventors: **Ronen Benarieh**, Givat brener (IL);
Andres Wainstein, Tel Aviv (IL);
Gustavo Turkieltaub, Tel Aviv (IL)

(73) Assignee: **Life Technologies Corporation**,
Carlsbad, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/399,857**

(22) Filed: **Aug. 19, 2011**

(51) **LOC (9) Cl.** **24-02**

(52) **U.S. Cl.** **D24/232**

(58) **Field of Classification Search** D24/232–233,
D24/223, 227, 231; 204/450–451, 456, 461,
204/462, 465–466, 554, 600, 606–607, 608,
204/612, 615, 616, 619–621; 249/120; 439/509,
439/911; D14/251; D7/553.2, 554.3, 550.1;
D30/161; D6/510; 422/297, 300; 206/518,
206/557, 563, 565

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,421,998	A *	1/1969	Yallen	204/641
D229,143	S *	11/1973	Holmes	D6/510
3,819,505	A *	6/1974	Parent et al.	D24/223
3,856,656	A *	12/1974	Brink	204/616
4,194,963	A *	3/1980	Denckla	204/610
D266,150	S *	9/1982	Borsos	D24/233
4,416,761	A *	11/1983	Brown et al.	204/620
D282,352	S *	1/1986	Hoefler et al.	D24/233
4,830,725	A *	5/1989	Berninger et al.	204/620
D303,012	S *	8/1989	Flesher et al.	D24/233
D315,951	S *	4/1991	Berninger et al.	D24/233
D315,952	S *	4/1991	Berninger et al.	D24/233
5,242,568	A *	9/1993	Ehr et al.	204/607
5,384,022	A *	1/1995	Rajasekaran	204/616
5,449,446	A *	9/1995	Verma et al.	204/612
5,507,390	A *	4/1996	Vila	206/557

6,379,631	B1 *	4/2002	Wu	422/300
D511,386	S *	11/2005	Emerson	D24/233
D524,449	S *	7/2006	Emerson	D24/233
D563,562	S *	3/2008	Cosselmon et al.	D24/233
D571,480	S *	6/2008	Beck et al.	D24/232
7,399,395	B2 *	7/2008	Schnelle et al.	204/456
2003/0211023	A1 *	11/2003	Wu et al.	422/297
2009/0308749	A1 *	12/2009	Park	204/456
2012/0024707	A1 *	2/2012	Ohura et al.	204/603

OTHER PUBLICATIONS

Google Image Result for http://4.bp.blogspot.com/_RpYJVGjpr8/TS3uoFQ8GII/AAAAAAAAABY/pDOgCWRF3dY/s1600/33electrophoresis1_training.jpg. Viewed on Apr. 13, 2012.*

* cited by examiner

Primary Examiner — Wan Laymon

(57) **CLAIM**

The ornamental design for an apparatus for docking and charging electrophoresis devices and portable electrophoresis system, as shown and described.

DESCRIPTION

FIG. 1 is a front and side perspective view of an apparatus for docking and charging electrophoresis devices and portable electrophoresis system for providing charge to electrophoresis devices for performing electrophoresis of nucleic acids, and visualization, imaging and/or analysis thereof, at locations where there may not be direct electrical power supply, according to a first exemplary embodiment;

FIG. 2 is a front perspective view of the apparatus for docking and charging electrophoresis devices and portable electrophoresis system of FIG. 1;

FIG. 3 is a back perspective view of the apparatus for docking and charging electrophoresis devices and portable electrophoresis system of FIG. 1;

FIG. 4 is a right side perspective view of the apparatus for docking and charging electrophoresis devices and portable electrophoresis system of FIG. 1;

FIG. 5 is a left side perspective view of the apparatus for docking and charging electrophoresis devices and portable electrophoresis system of FIG. 1;





FIG. 6 is a top side perspective view of the apparatus for docking and charging electrophoresis devices and portable electrophoresis system of FIG. 1;

FIG. 7 is a bottom perspective view of the apparatus for docking and charging electrophoresis devices and portable electrophoresis system of FIG. 1;

FIG. 8 is a front and side perspective view of an apparatus for docking and charging electrophoresis devices and portable electrophoresis system for providing charge to electrophoresis devices to perform electrophoresis of nucleic acids, and visualization, imaging and/or analysis thereof, at locations where there may not be direct electrical power supply, according to a second exemplary embodiment;

FIG. 9 is a front perspective view of the apparatus for docking and charging electrophoresis devices and portable electrophoresis system of FIG. 8;

FIG. 10 is a back perspective view of the apparatus for docking and charging electrophoresis devices and portable electrophoresis system of FIG. 8;

FIG. 11 is a right side perspective view of the apparatus for docking and charging electrophoresis devices and portable electrophoresis system of FIG. 8;

FIG. 12 is a left side perspective view of the apparatus for docking and charging electrophoresis devices and portable electrophoresis system of FIG. 8;

FIG. 13 is a top side perspective view of the apparatus for docking and charging electrophoresis devices and portable electrophoresis system of FIG. 8; and,

FIG. 14 is a bottom perspective view of the apparatus for docking and charging electrophoresis devices and portable electrophoresis system of FIG. 8.

The broken lines shown in FIGS. 1-7 represent portions of the apparatus for docking and charging electrophoresis apparatus that form no part of the claimed design.

1 Claim, 14 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14