

US00D666686S

(12) **United States Design Patent**
Burger

(10) **Patent No.:** **US D666,686 S**

(45) **Date of Patent:** **** Sep. 4, 2012**

(54) **BALL THROWING AID**

(75) Inventor: **Kyle D. Burger**, Seattle, WA (US)

(73) Assignee: **Canine Hardware Inc**, Kent, WA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/405,983**

(22) Filed: **Nov. 8, 2011**

(51) **LOC (9) Cl.** **21-03**

(52) **U.S. Cl.** **D21/722**

(58) **Field of Classification Search** D21/722,
D21/725, 729, 789; 124/5, 7, 41; 24/3.12,
24/3.3, 336; 473/505-515; D30/160
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,535,029 A	4/1925	Murch	
1,585,446 A	5/1926	Warwick	
2,810,957 A	10/1957	Nelson	
D201,188 S *	5/1965	Weimer D21/722
3,206,202 A	9/1965	Evans	
3,428,036 A	2/1969	Parker	
3,442,544 A	5/1969	Faber	
3,589,349 A	6/1971	Parker	
3,611,996 A	10/1971	Wegner	
3,841,292 A	10/1974	Hoffman	
D239,812 S	5/1976	Gould	
D284,342 S	6/1986	Campbell	
4,974,574 A	12/1990	Cutlip	
4,995,374 A	2/1991	Black	
D325,612 S	4/1992	Longo	
5,129,650 A	7/1992	Hayman	
D352,641 S	11/1994	Coquereau	
5,390,652 A	2/1995	Minneman	
5,423,543 A	6/1995	Tarrant	

5,437,488 A	8/1995	Richmond	
D402,167 S	12/1998	Durbin	
D405,660 S	2/1999	Hansen	
D424,640 S *	5/2000	Oblack D21/722
6,076,829 A	6/2000	Oblack	
6,477,745 B2 *	11/2002	Strebl 24/3.12
D480,280 S	10/2003	Schülein	
D484,938 S *	1/2004	Tu D21/789
D554,717 S *	11/2007	McKinnell D21/722
7,686,001 B2	3/2010	Fitt	
D630,277 S *	1/2011	McKinnell D21/722
D637,248 S	5/2011	Levin	
D640,338 S *	6/2011	Oblack et al. D21/722
D655,359 S *	3/2012	Thorogood D21/722

* cited by examiner

Primary Examiner — Mitchell Siegel

(74) *Attorney, Agent, or Firm* — Christensen O'Connor Johnson Kindness PLLC


(57) **CLAIM**

The ornamental design for a ball throwing aid, as shown and described.

DESCRIPTION

FIG. 1 is a generally front left perspective view of a ball throwing aid according to the present invention; FIG. 2 is a left side view of the ball throwing aid shown in FIG. 1; FIG. 3 is a top view of the ball throwing aid shown in FIG. 1; FIG. 4 is a front view of the ball throwing aid shown in FIG. 1; FIG. 5 is a right side view of the ball throwing aid shown in FIG. 1; FIG. 6 is a bottom view of the ball throwing aid shown in FIG. 1; and, FIG. 7 is a rear view of the ball throwing aid shown in FIG. 1.

1 Claim, 3 Drawing Sheets






Fig. 1.



Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.




Fig. 7.