

US00D666838S

(12) **United States Design Patent**
Schoenhals et al.

(10) **Patent No.:** **US D666,838 S**
(45) **Date of Patent:** **** Sep. 11, 2012**

(54) **CHAIR**

(76) Inventors: **Gerald P. Schoenhals**, Archbold, OH (US); **Joel Alberda**, Leo, IN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/375,779**

(22) Filed: **Sep. 27, 2010**

(51) **LOC (9) Cl.** **06-01**

(52) **U.S. Cl.** **D6/348**

(58) **Field of Classification Search** D6/334–336,
D6/364–380, 498–502; 297/300.5, 440.22,
297/411.2, 411.27, 411.36, 452.13, 452.21,
297/452.29, 452.3, 452.35, 452.48

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D181,241 S *	10/1957	Swanson	D6/374
D186,658 S *	11/1959	Spliman	D6/374
D202,775 S *	11/1965	Rowland	D6/373
D208,976 S *	10/1967	Moeckl	D6/374
D214,834 S *	8/1969	Moore et al.	D6/374
D219,032 S *	10/1970	Christenson	D6/374
D238,990 S *	3/1976	Galvez	D6/374
D297,890 S *	10/1988	Hockenberry et al.	D6/367
D347,334 S *	5/1994	Fewchuk	D6/375
D466,712 S *	12/2002	Haney et al.	D6/373
D468,922 S *	1/2003	de Blois	D6/374
D481,550 S *	11/2003	Astle	D6/374
D508,339 S *	8/2005	Astle	D6/374
D518,656 S *	4/2006	Van Hooydonk et al.	D6/374
D527,921 S *	9/2006	Iida et al.	D6/373
D541,068 S *	4/2007	Foster	D6/374
D569,644 S *	5/2008	Kumazawa	D6/372
D578,789 S *	10/2008	Ciani et al.	D6/380
7,452,035 B2 *	11/2008	Astle et al.	297/440.22
D605,421 S *	12/2009	Baldanzi	D6/368
D607,654 S *	1/2010	Fewchuk	D6/374
D607,660 S *	1/2010	Kubryk	D6/380
D636,195 S *	4/2011	Reyes et al.	D6/374
D647,320 S *	10/2011	Young	D6/380
D648,555 S *	11/2011	Starck	D6/369
D654,286 S *	2/2012	Gasca Burges	D6/380

* cited by examiner

Primary Examiner — Ricky Pham

(74) *Attorney, Agent, or Firm* — Varnum, Riddering, Schmidt & Howlett LLP

(57) **CLAIM**

We claim, the ornamental design for a chair, as shown and described herein.

DESCRIPTION

FIG. 1 is a front perspective view of one embodiment of our design for a chair in accordance with our invention, having a two-stage rocker;

FIG. 2 is rear perspective view of the embodiment of our design for a chair illustrated in FIG. 1;

FIG. 3 is a front elevation view of the embodiment of our design for a chair illustrated in FIG. 1;

FIG. 4 is a side elevation view of the embodiment of our design for a chair illustrated in FIG. 1, wherein both sides of the chair according to our design are identical;

FIG. 5 is a rear elevation view of the embodiment of our design for a chair illustrated in FIG. 1;

FIG. 6 is a top view of the embodiment of our design for a chair illustrated in FIG. 1;

FIG. 7 is a bottom view of the embodiment of our design for a chair illustrated in FIG. 1;

FIG. 8 is a front perspective view of an embodiment of our design for a chair, which is the embodiment of the chair shown in FIG. 1 with the addition of an upholstered back and upholstered seat;

FIG. 9 is a rear perspective view of the embodiment of our design for a chair illustrated in FIG. 8;

FIG. 10 is a front elevation view of the embodiment of our design for a chair illustrated in FIG. 8;

FIG. 11 is a side elevation view of the embodiment of our design for a chair illustrated in FIG. 8, wherein both sides of the chair according to our design are identical;

FIG. 12 is a rear elevation view of the embodiment of our design for a chair illustrated in FIG. 8;

FIG. 13 is a top view of the embodiment of our design for a chair illustrated in FIG. 8;

FIG. 14 is a bottom view of the embodiment of our design for a chair illustrated in FIG. 8;




FIG. 15 is a front perspective view of an embodiment of our design for a chair in accordance with our invention, having a three-stage rocker;

FIG. 16 is a rear perspective view of the embodiment of our design for a chair illustrated in FIG. 15;

FIG. 17 is a front elevation view of the embodiment of our design for a chair illustrated in FIG. 15;

FIG. 18 is a side elevation view of the embodiment of our design for a chair illustrated in FIG. 15, wherein both sides of the chair according to our design are identical;

FIG. 19 is a rear elevation view of the embodiment of our design for a chair illustrated in FIG. 15;

FIG. 20 is a top view of the embodiment of our design for a chair illustrated in FIG. 15;

FIG. 21 is a bottom view of the embodiment of our design for a chair illustrated in FIG. 15;

FIG. 22 is a front perspective view of an embodiment of our design for a chair, which is the embodiment of the chair shown in FIG. 15, with the addition of an upholstered back and upholstered seat;

FIG. 23 is a rear perspective view of the embodiment of our design for a chair illustrated in FIG. 22;

FIG. 24 is a front elevation view of the embodiment of our design for a chair illustrated in FIG. 22;

FIG. 25 is a side elevation view of the embodiment of our design for a chair illustrated in FIG. 22, wherein both sides of the chair according to our design are identical;

FIG. 26 is a rear elevation view of the embodiment of our design for a chair illustrated in FIG. 22;

FIG. 27 is a top view of the embodiment of our design for a chair illustrated in FIG. 22;

FIG. 28 is a bottom view of the embodiment of our design for a chair illustrated in FIG. 22; and,

FIG. 29 is a detailed side perspective view of the “wedge” detail at the intersection of the seat, back and rear rails of the chair according to our invention.

1 Claim, 9 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29