

US00D666866S

(12) **United States Design Patent**
Lion et al.

(10) **Patent No.:** **US D666,866 S**

(45) **Date of Patent:** **** Sep. 11, 2012**

(54) **RICE COOKER**

(75) Inventors: **Mathieu Lion**, Paris (FR); **Anne Tanguy**, Paris (FR)

(73) Assignee: **Mastrad, S.A.**, Paris (FR)

(**) Term: **14 Years**

(21) Appl. No.: **29/380,154**

(22) Filed: **Dec. 1, 2010**

(30) **Foreign Application Priority Data**

Jun. 1, 2010 (JP) 2010-013510
Jun. 1, 2010 (JP) 2010-013512

(51) **LOC (9) Cl.** **07-02**

(52) **U.S. Cl.** **D7/357; D7/354**

(58) **Field of Classification Search** D7/323,
D7/329-332, 339, 346-347, 350.1-350.4,
D7/353-367, 391, 393, 395, 402, 406, 538,
D7/542; 99/324-325, 331-332, 337-343,
99/369, 400-418, 422, 425, 444, 451, 483;
126/37 R, 261, 374.1, 378.1; 206/501-505,
206/507-508; 219/400, 405, 429-442, 620-624,
219/725, 730-735; 220/203.05, 203.07,
220/203.09, 298, 315-316, 573.1-573.5,
220/912; 426/438, 441

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D15,122 S * 7/1884 Vogt D7/542
D20,815 S * 6/1891 Dean D7/538
D96,141 S * 7/1935 Smith D7/542
D110,678 S * 7/1938 Smith D7/542

D162,960 S * 4/1951 Johnston D7/360
D174,605 S * 4/1955 Ziskin D7/542
D202,062 S * 8/1965 Yamazaki D7/360
D206,452 S * 12/1966 Latham D7/542
D286,488 S * 11/1986 Broere D7/542
5,746,119 A * 5/1998 Matsumoto 99/451
D470,715 S * 2/2003 Kloppsteck D7/360
D523,687 S * 6/2006 Jian D7/360
D535,856 S * 1/2007 Kell D7/538
D554,935 S * 11/2007 Lion et al. D7/354

(Continued)

Primary Examiner — Ricky Pham

(74) *Attorney, Agent, or Firm* — Connolly Bove Lodge & Hutz LLP

(57) **CLAIM**

The ornamental design for a rice cooker, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the rice cooker with the lid closed;

FIG. 2 is an exploded perspective view of the rice cooker with steamer insert;

FIG. 3 is a front view of the rice cooker shown in FIG. 1;

FIG. 4 is a side view of the rice cooker shown in FIG. 1;

FIG. 5 is a top view of the rice cooker shown in FIG. 1;

FIG. 6 is a bottom view of the rice cooker shown in FIG. 1;

FIG. 7 is a cross-sectional view of the rice cooker and steamer insert along A-A shown in FIG. 5;

FIG. 8 is a perspective view of the steamer insert, shown separately for completeness of illustration;


FIG. 9 is a top view of the steamer insert of FIG. 8;

FIG. 10 is a bottom view of the steamer insert of FIG. 8;

FIG. 11 is a front view of the steamer insert of FIG. 8; and,

FIG. 12 is a side view of the steamer insert of FIG. 8.

1 Claim, 12 Drawing Sheets



US D666,866 S

Page 2

U.S. PATENT DOCUMENTS

D557,551 S *	12/2007	Tetreault et al.	D7/354	D618,490 S *	6/2010	Li	D7/354
D572,524 S *	7/2008	Baker	D7/360	D618,492 S *	6/2010	Li	D7/360
D589,295 S *	3/2009	Rohrer	D7/360	D635,402 S *	4/2011	Shah	D7/538
D594,704 S *	6/2009	Loaiza	D7/542	D641,200 S *	7/2011	Lion et al.	D7/356

* cited by examiner




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11




Figure 12