



US00D666978S

(12) **United States Design Patent**  
**Felegy, Jr. et al.**

(10) **Patent No.:** **US D666,978 S**  
(45) **Date of Patent:** **\*\* Sep. 11, 2012**

(54) **LOAD CONTROL DEVICE**

D627,309 S 11/2010 Snyder et al.  
2008/0111491 A1\* 5/2008 Spira ..... 315/158  
2009/0251352 A1\* 10/2009 Altonen et al. .... 341/176

(75) Inventors: **Edward M. Felegy, Jr.**, Macungie, PA (US); **Gregory M. Snyder**, Germansville, PA (US); **Gregory Altonen**, Easton, PA (US); **Elliot G. Jacoby**, Glenside, PA (US); **Noel Mayo**, Philadelphia, PA (US)

**OTHER PUBLICATIONS**

Lutron Electronics Co., Inc. AuroRa Wireless Lighting Control Brochure, Nov. 2006, 2 pages.\*  
U.S. Appl. No. 29/391,816, filed May 13, 2011, Felegy, Jr. et al.  
U.S. Appl. No. 29/391,819, filed May 13, 2011, Felegy, Jr. et al.  
U.S. Appl. No. 29/394,730, filed Jun. 21, 2011, Felegy, Jr. et al.  
U.S. Appl. No. 29/394,736, filed Jun. 21, 2011, Felegy, Jr. et al.  
U.S. Appl. No. 29/394,737, filed Jun. 21, 2011, Felegy, Jr. et al.

(73) Assignee: **Lutron Electronics Co., Inc.**, Coopersburg, PA (US)

\* cited by examiner

(\*\*) Term: **14 Years**

*Primary Examiner* — Selina Sikder

(21) Appl. No.: **29/391,851**

(74) *Attorney, Agent, or Firm* — Mark E. Rose; Philip N. Smith; Bridget L. McDonough

(22) Filed: **May 13, 2011**

(51) **LOC (9) Cl.** ..... **13-03**

(52) **U.S. Cl.** ..... **D13/164**

(58) **Field of Classification Search** ..... D13/162, D13/164, 171, 174; D26/26; 307/139, 157; 315/209 R, 224, 246, 291, 294, 295; 200/5 R, 200/5 A, 520, 530, 293, 296, 302.2, 308, 200/310, 314, 329, 341

See application file for complete search history.

(57) **CLAIM**

We claim the ornamental design for a load control device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a load control device according to a first embodiment of our new design.

FIG. 2 is a front view thereof.

FIG. 3 is a left side view thereof.

FIG. 4 is a right side view thereof.

FIG. 5 is a top view thereof.

FIG. 6 is a bottom view thereof.

FIG. 7 is a perspective view of a load control device according to a second embodiment of our new design; and,

FIG. 8 is a front view thereof, the left side, right side, top, and bottom views, respectively, of the second embodiment being identical to the left side, right side, top, and bottom views of the first embodiment.


The rear views form no part of the design and are omitted.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D397,814 S \* 9/1998 Pun ..... D26/26  
D426,328 S \* 6/2000 Yuen ..... D26/26  
D434,863 S \* 12/2000 Boessel ..... D26/26  
D437,585 S 2/2001 Mayo et al.  
D450,043 S 11/2001 Mosebrook  
D543,951 S 6/2007 Blair et al.  
D592,607 S 5/2009 Felegy, Jr. et al.  
D602,446 S \* 10/2009 Felegy et al. .... D13/171  
D606,030 S \* 12/2009 Felegy et al. .... D13/171  
D614,146 S \* 4/2010 Felegy et al. .... D13/168

**1 Claim, 6 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3



Fig. 4




Fig. 5



Fig. 6




Fig. 7




Fig. 8