



US00D667196S

(12) **United States Design Patent**  
**Jones**

(10) **Patent No.:** **US D667,196 S**

(45) **Date of Patent:** **\*\* Sep. 18, 2012**

(54) **GLOVE WITH NOISE MAKER**

(76) Inventor: **Marc S. Jones**, Syracuse, NY (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/394,937**

(22) Filed: **Jun. 23, 2011**

(51) **LOC (9) Cl.** ..... **02-06**

(52) **U.S. Cl.** ..... **D2/614**

(58) **Field of Classification Search** ..... D2/610,  
D2/614, 615, 616, 617, 618, 619, 620, 621,  
D2/622, 623; D20/32, 33; D21/400, 807;  
D28/63; D29/113, 114, 116.2, 117.1, 117.2,  
D29/120.1, 122, 123; D32/40, 41, 42, 43;  
2/16, 20, 21, 159, 161.1, 161.2, 161.3, 161.4,  
2/161.5, 161.6, 161.7, 161.8, 168; 15/104.94,  
15/227; 40/586

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D54,333	S	*	12/1919	Brown	.....	D29/117.2
1,520,693	A	*	12/1924	Brown	.....	116/35 R
2,980,915	A	*	4/1961	Peterson	.....	2/159
4,038,787	A	*	8/1977	Bianchi	.....	451/523
4,982,447	A	*	1/1991	Henson	.....	2/462
4,988,296	A	*	1/1991	Spencer	.....	433/163
D328,369	S	*	7/1992	Hong	.....	D29/117.1
D373,150	S	*	8/1996	Zaksenberg	.....	D21/405
5,608,912	A	*	3/1997	Cumberland	.....	2/16
5,640,712	A	*	6/1997	Hansen et al.	.....	2/20
D391,308	S	*	2/1998	Rapp	.....	D21/405

5,898,943	A	*	5/1999	Kim	.....	2/161.2
6,216,276	B1	*	4/2001	Eibert	.....	2/161.2
7,103,918	B2	*	9/2006	Isom et al.	.....	2/159
D589,678	S	*	4/2009	Lawrence	.....	D2/617
7,530,876	B1	*	5/2009	Wimberly	.....	446/327
7,823,245	B2	*	11/2010	Firouzman	.....	15/227
2006/0185109	A1	*	8/2006	Barton et al.	.....	15/227
2010/0077526	A1	*	4/2010	Smeltzer	.....	2/16
2011/0030121	A1	*	2/2011	Smalls	.....	2/161.7

\* cited by examiner

*Primary Examiner* — Karen E Eldridge Powers

(74) *Attorney, Agent, or Firm* — David L. Nocilly; Bond Schoeneck & King

(57) **CLAIM**

The ornamental design for a glove with noise maker, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an embodiment of a glove with noise maker, in which the design simulates a left hand. The structure shown in phantom lines depicting features of the article to which the design is applied that form no part of the claim;

FIG. 2 is a top plan view thereof;

FIG. 3 is a right side elevation view thereof;



FIG. 4 is a left side elevation view thereof;

FIG. 5 is a front elevation view thereof; and,

FIG. 6 is a rear elevation view thereof.

The unshown embodiment that simulates a right hand is a mirror image of the left-hand embodiment shown in FIGS. 1-6.

**1 Claim, 3 Drawing Sheets**







Fig. 1

Fig. 2






Fig. 3




Fig. 4




Fig. 5




Fig. 6