



US00D667231S

(12) **United States Design Patent**
Citterio

(10) **Patent No.:** **US D667,231 S**

(45) **Date of Patent:** **** Sep. 18, 2012**

(54) **CHAIR**

(75) Inventor: **Antonio Citterio**, Milan (IT)

(73) Assignee: **Vitra Patente AG**, MuttENZ (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/375,150**

(22) Filed: **Sep. 17, 2010**

(30) **Foreign Application Priority Data**

Mar. 25, 2010 (CH) 136 903
Jul. 22, 2010 (CH) 137110

(51) **LOC (9) Cl.** **06-01**

(52) **U.S. Cl.** **D6/366**

(58) **Field of Classification Search** D6/334-336,
D6/364-367, 372-380, 498-502; 297/300.5,
297/411.2, 411.27, 411.36, 452.13, 452.21,
297/452.29, 452.3, 452.35, 452.48
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|----------------|--------|------------------|-------|-----------|
| D476,493 S * | 7/2003 | Nagamitsu | | D6/366 |
| D476,820 S * | 7/2003 | Nagamitsu | | D6/366 |
| D476,821 S * | 7/2003 | Koepke et al. | | D6/366 |
| D489,542 S * | 5/2004 | Giugiaro | | D6/366 |
| 6,935,689 B2 * | 8/2005 | Horiki et al. | | 297/300.5 |
| D509,969 S * | 9/2005 | Loew et al. | | D6/366 |
| D523,252 S * | 6/2006 | Rodriguez Leitao | | D6/366 |
| D528,810 S * | 9/2006 | Giugiaro | | D6/366 |
| D528,811 S * | 9/2006 | Giugiaro | | D6/366 |
| D536,890 S * | 2/2007 | Loew et al. | | D6/366 |
| D543,041 S * | 5/2007 | Hara | | D6/366 |
| D543,736 S * | 6/2007 | Shields | | D6/500 |
| D548,474 S * | 8/2007 | Fancelli | | D6/366 |

| | | | | |
|--------------|---------|-----------------|-------|--------|
| D557,917 S * | 12/2007 | Nakamura et al. | | D6/366 |
| D559,573 S * | 1/2008 | Igarashi | | D6/366 |
| D559,574 S * | 1/2008 | Igarashi | | D6/366 |
| D563,687 S * | 3/2008 | Neil | | D6/366 |
| D567,522 S * | 4/2008 | Igarashi | | D6/366 |
| D568,623 S * | 5/2008 | Dauphin | | D6/366 |
| D576,812 S * | 9/2008 | Van Severen | | D6/366 |
| D576,814 S * | 9/2008 | Baldanzi et al. | | D6/366 |
| D582,170 S * | 12/2008 | Chi | | D6/366 |
| D595,970 S * | 7/2009 | Ueda | | D6/366 |
| D595,971 S * | 7/2009 | Ueda | | D6/366 |
| D600,462 S * | 9/2009 | Ooki et al. | | D6/366 |
| D604,527 S * | 11/2009 | Ooki et al. | | D6/366 |
| D609,021 S * | 2/2010 | Ooki et al. | | D6/366 |
| D617,110 S * | 6/2010 | Dorner | | D6/372 |
| D622,073 S * | 8/2010 | Igarashi | | D6/372 |
| D622,074 S * | 8/2010 | Igarashi | | D6/372 |
| D634,558 S * | 3/2011 | Deisig | | D6/366 |
| D637,829 S * | 5/2011 | Citterio | | D6/366 |
| D646,093 S * | 10/2011 | Collinson | | D6/502 |
| D648,552 S * | 11/2011 | Izawa | | D6/366 |
| D652,646 S * | 1/2012 | Fujita | | D6/366 |

(Continued)

Primary Examiner — Ricky Pham

(74) *Attorney, Agent, or Firm* — McCarter & English, LLP

(57) **CLAIM**

The ornamental design for a chair, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a chair which is essentially identical to FIG. 1, except that the backrest has an upholstered cover and armrest supports are each provided with a pad;

FIG. 2 shows a front elevational view of FIG. 1;

FIG. 3 shows a right side view of FIG. 1;

FIG. 4 shows a left side view of FIG. 1; and,

FIG. 5 shows a rear elevational view of FIG. 1.

1 Claim, 5 Drawing Sheets



US D667,231 S

Page 2

U.S. PATENT DOCUMENTS

| | | | | | | | |
|--------------|--------|--------------|--------|--------------|--------|--------------------------|--------|
| D654,280 S * | 2/2012 | Fujita | D6/366 | D654,710 S * | 2/2012 | Fujita | D6/366 |
| D654,709 S * | 2/2012 | Fujita | D6/366 | D655,522 S * | 3/2012 | Czumaj-Bront et al. | D6/366 |

* cited by examiner



Fig. 1



Fig. 2



Fig. 3



Fig. 4



Fig. 5