



US00D667291S

(12) **United States Design Patent**
Rothbaum et al.

(10) **Patent No.:** **US D667,291 S**
(45) **Date of Patent:** **** Sep. 18, 2012**

(54) **STRAP FOR CORD MANAGEMENT**

5,572,773 A 11/1996 Bauer 24/303
(Continued)

(75) Inventors: **Wayne Rothbaum**, New York, NY (US);
Allison S. Conner, Brooklyn, NY (US);
Robert B. Curtis, New York, NY (US);
Jonas K. Damon, New York, NY (US);
Daniel A. Sanchez, Brooklyn, NY (US)

FOREIGN PATENT DOCUMENTS

CN 201352845 11/2009
(Continued)

(73) Assignee: **CJD LLC**, New York, NY (US)

OTHER PUBLICATIONS

(**) Term: **14 Years**

Earbud Clips, www.wetjetset.com/store/item/42, printed Jun. 7, 2010, 3 pages.

(21) Appl. No.: **29/368,755**

(Continued)

(22) Filed: **Aug. 27, 2010**

Primary Examiner — Cynthia Underwood

(51) **LOC (9) Cl.** **08-05**

(74) *Attorney, Agent, or Firm* — Morgan, Lewis & Bockius LLP

(52) **U.S. Cl.** **D8/356**

(58) **Field of Classification Search** D8/356,
D8/354, 349; 220/575; 206/521.15; 24/302,
24/16 R, 306; 439/501; D2/978, 946; D30/139;
381/374

(57) **CLAIM**

The ornamental design for a strap for cord management, as shown and described.

See application file for complete search history.

DESCRIPTION

(56) **References Cited**

U.S. PATENT DOCUMENTS

D39,960 S *	5/1909	Mussillon	D8/499
1,544,386 A *	6/1925	Fridolph	2/73
1,722,498 A *	7/1929	Fridolph	24/578.15
D206,401 S *	12/1966	Fisher	D8/356
D224,960 S *	10/1972	Wilson	D8/396
3,994,048 A	11/1976	Rosenthal	24/81 SK
4,815,172 A	3/1989	Ward	24/16 R
4,940,427 A	7/1990	Pearson	439/501
5,048,158 A	9/1991	Koerner	24/16 R
5,130,899 A	7/1992	Larkin et al.	362/32
5,142,743 A	9/1992	Hahn	24/16 R
5,168,603 A	12/1992	Reed	24/16 R
D357,739 S	4/1995	Stewart et al.	D24/176
5,402,971 A	4/1995	Bower	248/74.3

The present application relates to U.S. utility patent application Ser. No. 12/761,326 filed Apr. 15, 2010, to U.S. design patent application Ser. No. 29/368,746 filed Aug. 27, 2010, and U.S. design patent application Ser. No. 29/368,754 filed Aug. 27, 2010.

FIG. 1 is a perspective view of our new design of a strap for cord management;

FIG. 2 is a top view thereof;

FIG. 3 is a bottom view thereof;

FIG. 4 is a view of a first side thereof;


FIG. 5 is a view of a second side thereof;

FIG. 6 is a view of a third side thereof; and,

FIG. 7 is a view of a fourth side thereof.

The broken lines showing elements of the strap for cord management in the above described figures are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D667,291 S

Page 2

U.S. PATENT DOCUMENTS

5,584,452	A	12/1996	Koike	248/74.3
5,604,961	A	2/1997	Cole	24/306
5,682,653	A	11/1997	Berglof et al.	24/303
5,802,676	A	9/1998	Tolan	24/16 R
D401,137	S	11/1998	Boelling	D8/394
6,010,105	A *	1/2000	Davis	248/317
6,044,525	A	4/2000	Sastre et al.	24/20 R
6,085,393	A	7/2000	Tsui et al.	
6,344,021	B1	2/2002	Juster et al.	600/15
6,427,290	B1	8/2002	Liu	24/16 R
6,467,132	B1	10/2002	Robley	24/16 PB
6,490,767	B2	12/2002	Haiduk	24/298
6,499,199	B2	12/2002	Frazier	24/306
6,581,885	B2	6/2003	Polad	248/74.3
6,588,074	B2	7/2003	Galkiewicz et al.	24/586.1
6,701,580	B1	3/2004	Bandyopadhyay	24/16 R
D488,374	S	4/2004	Hussaini et al.	D8/396
6,763,554	B1	7/2004	Torrey et al.	24/30.5 P
6,880,270	B2	4/2005	Prather	36/50.1
7,039,958	B2 *	5/2006	Henricksen	2/338
7,096,544	B2	8/2006	Lusardi	24/306
7,213,278	B2 *	5/2007	Peterson et al.	5/413 R
D567,630	S	4/2008	Brassard	D8/349
D567,631	S	4/2008	Brassard	D8/349
D572,156	S *	7/2008	Payne	D10/71
7,516,591	B2	4/2009	Wolner et al.	52/698
7,543,359	B2 *	6/2009	Moughelbay et al.	24/16 PB
D599,196	S	9/2009	Ruffin et al.	D8/356
D613,137	S	4/2010	Wieberdink et al.	D8/14
7,712,696	B2	5/2010	Loh	242/360
D619,884	S	7/2010	Hansort	
D625,579	S	10/2010	Lee et al.	
D636,659	S *	4/2011	Rothbaum et al.	D8/356
D639,963	S	6/2011	Kase	
8,002,159	B2 *	8/2011	Cragg	224/579
D645,333	S *	9/2011	Rothbaum et al.	D8/356
8,103,352	B2 *	1/2012	Fried et al.	607/54
D654,052	S *	2/2012	Lee et al.	D14/205
2001/0035242	A1	11/2001	Hughs et al.	
2002/0073516	A1	6/2002	Behar	24/306
2002/0112323	A1	8/2002	Nire	24/303
2003/0167605	A1 *	9/2003	Schultz	24/306
2005/0016760	A1	1/2005	Vasichek	174/135

2005/0025329	A1	2/2005	Lee	381/370
2005/0255898	A1	11/2005	Huang	
2006/0008106	A1	1/2006	Harper	381/374
2006/0186150	A1 *	8/2006	Willows et al.	224/222
2007/0086617	A1	4/2007	Loh	
2007/0152008	A1	7/2007	Case	224/666
2008/0041897	A1 *	2/2008	Malhotra	224/199
2008/0149679	A1 *	6/2008	Case et al.	224/666
2009/0013504	A1	1/2009	Crespo	24/306
2009/0016559	A1	1/2009	Cleary	
2009/0314515	A1	12/2009	Bevirt et al.	

FOREIGN PATENT DOCUMENTS

GB	2420552	A	5/2006
JP	63125493		8/1988
JP	11317995		11/1999
JP	2001169381		6/2001
JP	2003230418		8/2003
JP	2003319484		11/2003
JP	2006081130		3/2006
JP	2006-222712	A	8/2006
JP	2009212918		9/2009
WO	WO 2004/071056	A1	8/2004

OTHER PUBLICATIONS

Headphone Cable Tidy—Pack of 3—Accessories for PDA, Smartphone . . . , www.proporta.com/F02/PPFO2P05.php?t_id=4452&t_mode=des... printed Jun. 7, 2010, 2 pages.

International Search Report and Written Opinion, PCT/US2009/067927, Jul. 14, 2010, 8 pages.

Sumajin SmartWrap Earphone Cord Manager, www.ilounge.com/index.php/reviews/entry/sumajin-smartwrap..., printed Jun. 7, 2010, 3 pages.

Use Magnetic Paper Clips to Keep Cords from Tangling, www.geeksugar.com/Use-Magnetic-Paper-Clips-Keep-Cords-From-Tangling, printed Jun. 7, 2010, 5 pages.

International Search Report and Written Opinion for Related Application No. PCT/US2010/031087, Apr. 29, 2011, 23 pages.

International Search Report and Written Opinion for Related Application No. PCT/US2010/053244, Jun. 24 2011, 22 pages.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7