

US00D667341S

(12) **United States Design Patent**  
**Verhee et al.**

(10) **Patent No.:** **US D667,341 S**

(45) **Date of Patent:** **\*\* Sep. 18, 2012**

(54) **VEHICLE EXTERIOR**

(75) Inventors: **Patrick Verhee**, Cologne (DE); **Stefan Lamm**, Cologne (DE); **Andrea Di Buduo**, Cologne (DE); **Kemal Curic**, Dortmund (DE)

(73) Assignee: **Ford Motor Company**, Dearborn, MI (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/382,566**

(22) Filed: **Jan. 5, 2011**

(51) **LOC (9) Cl.** ..... **12-08**

(52) **U.S. Cl.** ..... **D12/91**

(58) **Field of Classification Search** ..... D12/86,  
D12/90-92; D21/424, 433, 434; 296/181.1,  
296/181.5

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D472,866 S	4/2003	Pfeiffer et al.
D500,277 S	12/2004	Kataoka
D509,175 S	9/2005	Marji
D512,666 S	12/2005	Chiang
D515,491 S	2/2006	Elmitt
D528,958 S	9/2006	Kim
D545,248 S	6/2007	Angelo et al.
D556,655 S	12/2007	Dixon
D560,145 S	1/2008	Tant et al.
D566,632 S	4/2008	Hutchins
D568,220 S	5/2008	Okamoto et al.
D572,640 S	7/2008	Zimmermann et al.
D572,649 S	7/2008	Laengerer
D576,928 S	9/2008	Miyazaki
D579,832 S	11/2008	Opfer et al.
D590,753 S	4/2009	Williams et al.
D592,571 S	5/2009	Golden et al.
D592,572 S	5/2009	Golden et al.
D592,574 S	5/2009	Larson

D600,606 S	9/2009	Lamm
D601,063 S	9/2009	Lamm
D601,075 S	9/2009	Szavits
D603,308 S	11/2009	Schiavone et al.
D609,608 S *	2/2010	Boniface et al. .... D12/92
D609,615 S	2/2010	Kruger et al.
D617,695 S	6/2010	Lamm et al.
D617,700 S	6/2010	Nishio
D621,319 S	8/2010	Nissl
D621,767 S	8/2010	Ectors et al.

(Continued)

**OTHER PUBLICATIONS**

[http://www.motortrend.com/roadtests/suvs/112\\_0806\\_2009\\_ford\\_kuga\\_first\\_drive/index.html](http://www.motortrend.com/roadtests/suvs/112_0806_2009_ford_kuga_first_drive/index.html), Mar. 22, 2011, pp. 1-4.

(Continued)

*Primary Examiner* — Melody N Brown

(74) *Attorney, Agent, or Firm* — Frank A. MacKenzie; Brooks Kushman P.C.

(57) **CLAIM**


The ornamental design for a vehicle exterior, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevation view of a vehicle exterior in accordance with an embodiment of the present invention; FIG. 2 is a front/right side perspective view of the vehicle exterior of FIG. 1, wherein a left side perspective view is a mirror image thereof; FIG. 3 is a rear/right side perspective view of the vehicle exterior of FIG. 1, wherein a left side perspective view is a mirror image thereof; and, FIG. 4 is a rear elevation view of the vehicle exterior of FIG. 1.

The broken lines are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**



# US D667,341 S

Page 2

---

## U.S. PATENT DOCUMENTS

D622,193 S 8/2010 Koyama  
D623,108 S 9/2010 Spoerle  
D625,230 S 10/2010 Hirai et al.  
D626,473 S 11/2010 Mueller  
D631,813 S 2/2011 Nissl  
D635,078 S 3/2011 Elmitt  
D636,303 S 4/2011 Frei et al.


D637,533 S 5/2011 Miyazawa et al.  
D637,945 S 5/2011 Nakagawa  
D652,351 S \* 1/2012 Ikuma et al. .... D12/91

## OTHER PUBLICATIONS

[http://www.motortrend.com/roadtests/suvs/112\\_0805\\_2009\\_ford\\_escape\\_first\\_drive/index.html](http://www.motortrend.com/roadtests/suvs/112_0805_2009_ford_escape_first_drive/index.html), Mar. 22, 2011, pp. 1-4.


\* cited by examiner





*Fig. 1*






*Fig. 2*





*Fig. 3*





*Fig. 4*