

US00D667520S

(12) **United States Design Patent**  
**Ballard**

(10) **Patent No.:** **US D667,520 S**

(45) **Date of Patent:** **\*\* Sep. 18, 2012**

(54) **HYBRID FRONT DIAMONDHEAD SIGHT**

(76) **Inventor:** **Marlin Daniel Ballard**, Austin, TX (US)

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/372,843**

(22) **Filed:** **Jan. 24, 2011**

(51) **LOC (9) Cl.** ..... **22-01**

(52) **U.S. Cl.** ..... **D22/109**

(58) **Field of Classification Search** ..... D22/108-110,  
D22/199; 89/111-133; 359/399, 823, 744;  
42/104, 105, 111-113, 116, 120, 124-126,  
42/127-129, 141-148, 133-140; 33/227,  
33/229

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,488,836 A \* 11/1949 Sweetman ..... 42/145  
D631,124 S \* 1/2011 Ballard ..... D22/109  
8,069,607 B2 \* 12/2011 Ballard ..... 42/140

\* cited by examiner

*Primary Examiner* — Michael A Pratt

(57) **CLAIM**


The ornamental design for the hybrid front diamondhead sight, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is a upper right rear perspective view of the hybrid front diamondhead sight showing my new design; FIG. 2 is a lower left front perspective view thereof; FIG. 3 is a back perspective view thereof; FIG. 4 is a front perspective view thereof; FIG. 5 is a right side elevational view thereof; the left side is a mirror image of the right side; FIG. 6 is a top view thereof; and, FIG. 7 is a bottom view thereof.

The broken line disclosure shown in the drawings encompasses two areas of the firearm sight: (1) the lower external portion of the design which is normally hidden from view when the firearm sight is mounted on its base, and (2) the internal portion of the firearm sight. The lower external broken line disclosure is not included in the claimed design because that portion of the firearm sight may take different forms according to the base the firearm sight is mounted upon. The internal broken line disclosure is not included in the claimed design because its size, shape, and orientation is determined by accepted industry standards.

**1 Claim, 3 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7