



US00D667790S

(12) **United States Design Patent**
Osaki et al.

(10) **Patent No.:** **US D667,790 S**
(45) **Date of Patent:** **** Sep. 25, 2012**

(54) **STORAGE BATTERY**

(75) Inventors: **Shin Osaki**, Kyoto (JP); **Eiji Hojo**,
Kyoto (JP); **Yasuhide Nakayama**, Kyoto
(JP); **Hiroshi Haruyama**, Kyoto (JP);
Aya Sawa, Kyoto (JP); **Hiroshi**
Okumura, Fukuchiyama (JP)

(73) Assignee: **GS Yuasa International Ltd.**,
Kyoto-Shi (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/407,442**

(22) Filed: **Nov. 29, 2011**

(30) **Foreign Application Priority Data**

Jun. 2, 2011 (JP) 2011-012523

(51) **LOC (9) Cl.** **13-02**

(52) **U.S. Cl.** **D13/120**

(58) **Field of Classification Search** D13/102-106,
D13/110, 118-121, 133, 154, 184, 199; 429/96-100,
429/128-131, 149, 163-170, 176, 178
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,543,540	A *	2/1951	Anderson	439/771
4,637,965	A *	1/1987	Davis	429/1
4,693,949	A *	9/1987	Kellett et al.	429/128
D316,701	S *	5/1991	Hill	D13/120
D342,937	S *	1/1994	Angel et al.	D13/146
D365,081	S *	12/1995	Rodriguez	D13/110
D404,028	S *	1/1999	Holbrook	D13/120
D453,496	S *	2/2002	Lee	D13/120
D464,618	S *	10/2002	Ando et al.	D13/110
D466,076	S *	11/2002	Nagashima et al.	D13/110
D469,059	S *	1/2003	Ando et al.	D13/110
D491,138	S *	6/2004	Minato	D13/104

7,687,192	B2 *	3/2010	Yoon et al.	429/96
D625,686	S *	10/2010	Dickson	D13/107
2002/0114994	A1 *	8/2002	Yabuki et al.	429/178
2004/0067415	A1 *	4/2004	Lai	429/176
2008/0160395	A1 *	7/2008	Okada et al.	429/99

FOREIGN PATENT DOCUMENTS

JP D1396608 9/2010

* cited by examiner

Primary Examiner — Rosemary K Tarcza

(74) *Attorney, Agent, or Firm* — Manabu Kanesaka

(57) **CLAIM**

The ornamental design for a storage battery, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a storage battery showing our new design;

FIG. 2 is an enlarged front view of one terminal of the storage battery, shown separately for ease of illustration;

FIG. 3 is an enlarged rear view thereof;

FIG. 4 is an enlarged plan view thereof;

FIG. 5 is an enlarged right side view thereof;

FIG. 6 is an enlarged left side view thereof;

FIG. 7 is a cross sectional view thereof taken along the line 7-7 in FIG. 4;

FIG. 8 is a cross sectional view thereof taken along the line 8-8 in FIG. 4;

FIG. 9 is a front view of the storage battery;

FIG. 10 is a rear view thereof;

FIG. 11 is a right side view thereof;

FIG. 12 is a left side view thereof;

FIG. 13 is a plan view thereof; and,

FIG. 14 is a bottom view thereof.

The broken lines depict portions of the storage battery that form no part of claimed design.

1 Claim, 8 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14

