



US00D667976S

(12) **United States Design Patent**
Wu

(10) **Patent No.:** **US D667,976 S**

(45) **Date of Patent:** **** Sep. 25, 2012**

(54) **FLASHLIGHT**

(75) Inventor: **Liuning Wu**, Ningbo (CN)

(73) Assignee: **Ningbo Worth International Trade Co., Ltd.**, Ningbo (CN)

(**) Term: **14 Years**

(21) Appl. No.: **29/374,920**

(22) Filed: **Oct. 24, 2011**

(51) **LOC (9) Cl.** **26-02**

(52) **U.S. Cl.** **D26/49**

(58) **Field of Classification Search** D26/37,
D26/38, 49, 46; 362/157, 158, 184, 194–196,
362/202–208

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|--------------|---------|-----------------|-------|--------|
| D253,494 S * | 11/1979 | Sit-Lae | | D26/49 |
| D371,214 S * | 6/1996 | Terry, Sr. | | D26/49 |
| D414,887 S * | 10/1999 | McDonald et al. | | D26/46 |
| D428,503 S * | 7/2000 | Rann et al. | | D26/46 |
| D450,868 S * | 11/2001 | Maximilian-Yee | | D26/49 |
| D468,464 S * | 1/2003 | Galli | | D26/37 |
| D480,826 S * | 10/2003 | Englert et al. | | D26/49 |
| D488,245 S * | 4/2004 | McDonald et al. | | D26/49 |
| D496,481 S * | 9/2004 | Wiesmeth | | D26/49 |

| | | | | |
|--------------|---------|----------------|-------|--------|
| D517,230 S * | 3/2006 | Ho | | D26/37 |
| D518,583 S * | 4/2006 | Vickers et al. | | D26/37 |
| D606,688 S * | 12/2009 | Ma | | D26/46 |
| D638,157 S * | 5/2011 | Lee | | D26/49 |

* cited by examiner

Primary Examiner — Ian Simmons

Assistant Examiner — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — Thomas I. Rozsa

(57) **CLAIM**

The ornamental design for a flashlight, as shown and described.

DESCRIPTION

FIG. 1 is a top-side perspective view of the flashlight, showing my new design;

FIG. 2 is a bottom-side perspective view thereof;

FIG. 3 is front elevation view thereof;

FIG. 4 is a rear elevation view thereof;


FIG. 5 is a left side elevation view thereof;

FIG. 6 is a right side elevation view thereof;

FIG. 7 is a top elevation view thereof, wherein it is further illustrated how the slant of the flashlight may bring the bottom into view; and,

FIG. 8 is a bottom elevation view thereof, wherein it is further illustrated how the slant of the flashlight may bring the bend of the flashlight into view.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2



FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8