



US00D667987S

(12) **United States Design Patent**  
**Cai**

(10) **Patent No.:** **US D667,987 S**  
(45) **Date of Patent:** **\*\* Sep. 25, 2012**

(54) **LED LIGHTHEAD**

(75) Inventor: **Yimei Cai**, Ningbo (CN)

(73) Assignee: **Ningbo Yinzhou Self Photoelectron Technology Co., Ltd.**, Ningbo (CN)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/400,992**

(22) Filed: **Sep. 6, 2011**

(30) **Foreign Application Priority Data**

Jul. 20, 2011 (CN) ..... 2011 3 0232516

(51) **LOC (9) Cl.** ..... **26-99**

(52) **U.S. Cl.** ..... **D26/122**

(58) **Field of Classification Search** ..... D26/113,  
D26/71, 72, 73, 74, 75, 76, 78, 122, 120,  
D26/119, 118, 1, 80, 86, 87, 88, 89, 90, 35,  
D26/36, 85, 62, 61, 63, 64, 65, 66, 67, 68,  
D26/28, 31, 24, 25, 26, 60, 103, 104, 105,  
D26/106, 109, 110, 93, 138, 140, 141, 142,  
D26/143, 144, 145, 152, 153, 154, 155, 41,  
D26/42, 51, 52, 50, 37, 128, 121, 123, 124,  
D26/125, 129, 131, 134, 135, 136, 2, 3; D13/179,  
D13/180; D8/354, 382, 373, 377; 362/373,  
362/294.02, 218, 510, 516, 410, 183, 396,  
362/130, 190, 249.07, 249.09, 249.1, 249.11,  
362/285, 413, 287, 220, 418, 419, 92, 249.08,  
362/205, 184, 260, 399, 398, 397, 258, 374,  
362/375, 216, 558, 561, 354, 249.06, 249.05,  
362/132, 133, 249.03, 223, 241, 345, 327,  
362/217.05, 247, 224, 297; 52/455; D25/124,  
D25/125, 60, 119; 349/113, 61, 59, 60, 62,  
349/64, 65, 67, 66; 248/558, 339, 557; 438/15;  
345/102; D12/406; D10/114.1, 111; D11/145,  
D11/144, 125, 121; 428/11; 257/96, 97,  
257/98, 99

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

982,823	A *	1/1911	Jennings	362/341
2,242,525	A *	5/1941	Kirlin	362/373
D223,634	S *	5/1972	Cibie	D26/35
4,194,234	A *	3/1980	Geissler	362/17
4,569,002	A *	2/1986	English et al.	362/543
4,807,094	A *	2/1989	Mateos et al.	362/510
D312,842	S *	12/1990	Younger et al.	D20/42
5,010,458	A *	4/1991	Fraizer	362/516
D386,801	S *	11/1997	Orgovan	D26/31
D387,450	S *	12/1997	Lyons	D26/28
5,785,413	A *	7/1998	Tillinghast et al.	362/228
D399,325	S *	10/1998	Lyons et al.	D26/28
D402,576	S *	12/1998	Yang et al.	D10/111
6,467,934	B1 *	10/2002	Holten et al.	362/298
6,705,746	B2 *	3/2004	Perlo et al.	362/290
D492,438	S *	6/2004	O'Tierney	D26/80
6,793,368	B2 *	9/2004	Ladstatter	362/221
D530,437	S *	10/2006	Neufeglise et al.	D26/28
D574,437	S *	8/2008	Green	D20/10
D581,084	S *	11/2008	Kawaguchi et al.	D26/74
7,465,070	B2 *	12/2008	Engel	362/297
D597,705	S *	8/2009	Mitani et al.	D26/122
D600,584	S *	9/2009	Lyons	D10/114.1

(Continued)


*Primary Examiner* — Kevin Rudzinski

(57) **CLAIM**  
The ornamental design for a LED lighthouse, as shown.

**DESCRIPTION**

FIG. 1 is a front elevational view of a LED lighthouse showing my new design;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a bottom plan view thereof;  
FIG. 5 is a left side elevational view thereof;  
FIG. 6 is a right side elevational view thereof; and,  
FIG. 7 is a perspective view thereof.

**1 Claim, 7 Drawing Sheets**



# US D667,987 S

Page 2

---

## U.S. PATENT DOCUMENTS

D602,624 S	*	10/2009	Kawaguchi et al.	.....	D26/74	D629,139 S	*	12/2010	Cai	.....	D26/72
D615,696 S	*	5/2010	Hecht	.....	D26/122	D632,421 S	*	2/2011	Vukosic et al.	.....	D26/124
D618,572 S	*	6/2010	Shin	.....	D10/114.1	D647,239 S	*	10/2011	Beghelli	.....	D26/74
D627,672 S	*	11/2010	Shin	.....	D10/114.1						

\* cited by examiner





FIG. 1



**FIG. 2**




FIG. 3






FIG. 4




FIG. 5




FIG. 6






FIG. 7