



US00D668008S

(12) **United States Design Patent**  
**Powell**

(10) **Patent No.:** **US D668,008 S**

(45) **Date of Patent:** **\*\* Sep. 25, 2012**

(54) **DOG TOY BALL WITH RECESSED PORTIONS**

(76) Inventor: **James R. Powell**, Maumelle, AR (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/402,107**

(22) Filed: **Sep. 21, 2011**

(51) **LOC (9) Cl.** ..... **30-99**

(52) **U.S. Cl.** ..... **D30/160**

(58) **Field of Classification Search** ..... D30/119,  
D30/160; D1/106-111; D21/707, 713-714,  
D21/498; D24/101-102; 119/702, 706-711;  
434/211, 403; 473/281, 595-596

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,459,158	A	8/1969	Mitchell, Jr.	
3,931,971	A *	1/1976	Harvey	473/595
5,265,559	A	11/1993	Borell	
5,467,740	A	11/1995	Redwine	
D373,859	S *	9/1996	Markham et al.	D30/160
D414,534	S *	9/1999	Takahashi	D21/713
5,961,406	A	10/1999	Hass	
6,158,390	A	12/2000	Holtier et al.	
D438,090	S	2/2001	Friedman	
6,186,095	B1 *	2/2001	Simon	119/707
D459,404	S *	6/2002	Perez	D21/713
6,401,665	B1	6/2002	Gentile	
D481,792	S *	11/2003	Balderston et al.	D24/102
D497,191	S *	10/2004	Shore	D21/713
D508,992	S *	8/2005	Kahler et al.	D24/102
7,100,539	B2	9/2006	Levan	
D536,140	S *	1/2007	Renforth	D30/160
D569,498	S *	5/2008	Rasmussen	D24/102
D609,290	S *	2/2010	Oblack et al.	D21/714
D616,616	S *	5/2010	Byrne	D30/160

D625,056	S *	10/2010	Kelly	D30/160
D626,705	S *	11/2010	Rutherford	D30/160
D642,342	S *	7/2011	Shatoff et al.	D30/160
D650,874	S *	12/2011	Williams	D21/713

\* cited by examiner

*Primary Examiner* — Cathy A MacCormac

(74) *Attorney, Agent, or Firm* — Robert C. Montgomery;  
Joseph T. Yaksich; Montgomery Patent & Design

(57) **CLAIM**

The ornamental design for a dog toy ball with recessed portions, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a dog toy ball with recessed portions, showing my new design;

FIG. 2 is an upward perspective view thereof, in accordance with FIG. 1;

FIG. 3 is a downward perspective view thereof, in accordance with FIG. 1;

FIG. 4 is a side view thereof, rotated one hundred twenty degrees (120°) from the view in FIG. 1;

FIG. 5 is an upward perspective view thereof, in accordance with FIG. 4;

FIG. 6 is a downward perspective view thereof, in accordance with FIG. 4;

FIG. 7 is a side view thereof, rotated one hundred twenty degrees (120°) from the view in FIG. 4;



FIG. 8 is an upward perspective view thereof, in accordance with FIG. 7;

FIG. 9 is a downward perspective view thereof, in accordance with FIG. 7;

FIG. 10 a top view thereof; and,

FIG. 11 is a bottom view thereof.

**1 Claim, 11 Drawing Sheets**






Fig. 1



Fig. 2




Fig. 3






Fig. 4




Fig. 5




Fig. 6




Fig. 7






Fig. 8




Fig. 9




Fig. 10




Fig. 11