



US00D668193S

(12) **United States Design Patent**
Merriman

(10) **Patent No.:** **US D668,193 S**

(45) **Date of Patent:** **** Oct. 2, 2012**

(54) **LIGHT MODULE FOR A SIDE MOUNTED
REAR VIEW MIRROR OF A VEHICLE**

7,334,925 B2 2/2008 Pastrick et al.
7,686,487 B2 3/2010 Takahashi
D615,915 S 5/2010 Lamm
D619,065 S 7/2010 Bennett et al.

(76) Inventor: **Brian R. Merriman**, Webster, MO (US)

(Continued)

(**) Term: **14 Years**

OTHER PUBLICATIONS

(21) Appl. No.: **29/418,755**

Whelen Engineering, Mirror-Beam Series Specifications, dated 2010, 2 page brochure.

(22) Filed: **Apr. 20, 2012**

(Continued)

Related U.S. Application Data

(62) Division of application No. 29/392,060, filed on May 17, 2011, now Pat. No. Des. 660,209.

Primary Examiner — Marcus Jackson

(74) *Attorney, Agent, or Firm* — Senniger Powers LLP

(51) **LOC (9) Cl.** **12-16**

(52) **U.S. Cl.** **D12/188**

(58) **Field of Classification Search** D12/187-188;
D26/28-36; 359/838-844, 868, 871, 881;
248/479-483; D10/114.8; 362/472, 494
See application file for complete search history.

(57) **CLAIM**

The ornamental design for a light module for a side mounted rear view mirror of a vehicle, as shown and described.

DESCRIPTION

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|-----|---------|-----------------|-----------|
| 1,602,094 | A * | 10/1926 | Badding | 362/494 |
| 1,874,027 | A * | 8/1932 | Condon | 362/494 |
| 2,010,138 | A * | 8/1935 | Condon | 362/494 |
| 5,017,903 | A * | 5/1991 | Krippelz, Sr. | 340/472 |
| 5,660,457 | A * | 8/1997 | Lyons | 362/494 |
| D402,577 | S * | 12/1998 | Payne et al. | D10/114.8 |
| 5,863,116 | A * | 1/1999 | Pastrick et al. | 362/494 |
| 5,892,438 | A | 4/1999 | Vaughn | |
| 5,938,322 | A | 8/1999 | Alonzo | |
| 6,049,271 | A | 4/2000 | Chu | |
| D443,938 | S | 6/2001 | Lyons | |
| 6,250,783 | B1 | 6/2001 | Stidham | |
| 6,325,121 | B1 | 12/2001 | Hudnall | |
| 6,811,269 | B2 | 11/2004 | Strode | |
| 7,104,662 | B2 | 9/2006 | Kawanishi | |
| 7,278,767 | B2 | 10/2007 | Takahashi | |

FIG. 1 is a perspective view of an embodiment of the light module of my new design;

FIG. 2 is another perspective of the light module of FIG. 1 taken from a different vantage point;

FIG. 3 is a front elevation of the light module of FIG. 1;

FIG. 4 is a rear elevation of the light module of FIG. 1;

FIG. 5 is a top plan of the light module of FIG. 1;


FIG. 6 is a right side elevation of the light module of FIG. 1;

FIG. 7 is a left side elevation view of the light module of FIG. 1; and,

FIG. 8 is a bottom plan of the light module of FIG. 1.

The broken line showing of the mirror is included for the purpose of illustrating only and forms no part of the claimed design.

1 Claim, 8 Drawing Sheets



US D668,193 S

Page 2

U.S. PATENT DOCUMENTS

D619,946 S 7/2010 Lamm
D629,738 S 12/2010 Cornista
7,850,350 B2 12/2010 Weller
D660,209 S * 5/2012 Merriman D12/188

OTHER PUBLICATIONS

USPTO, Office Action dated Oct. 13, 2011, U.S. Appl. No.
29/392,060, 11 pages.
* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8